

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.

30-025-34498

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

V-4415

7. Lease Name or Unit Agreement Name:

Ruby ASV State

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

7. Well No.

#1

8. Pool name or Wildcat

Anderson Ranch Wolfcamp

4. Well Location

Unit Letter **H** : **1650** feet from the **North** line and **700** feet from the **East** line

Section **15** Township **16S** Range **32E** NMPM **Lea** County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

4304' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: plugback, perforate and acidize ☒

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

10/19/00 - MIRU. TOH with rods. TOH with TAC and tubing.

10/20/00 - Perforate Wolfcamp 11,272-11,280' with 32 holes, .42".

Acidize perms 11,272-11,280' with 1000 gals 15% IC HCL.

10/23/00 - Perforate Wolfcamp 10,269-10,274' with 6 holes, .42".

10/24/00 - Acidize perms 10,269-10,274' with 500 gals 15% IC HCL.

10/28/00 - Set CIBP at 11,300'. Cap with 35' cement. Perforate Wolfcamp 10,181-10,195' with 15 holes, .42".

10/30/00 - TIH with RBP and packer. Set RBP at 10,225'.

10/31/00 - Acidize perms 10,181-10,195' with 1000 gals 15% IC HCL. Swab test.

11/2/00 - TOH with packer. Turn well to production department to run rods.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Susan Herpin TITLE Engineering Technician DATE March 20, 2002

Type or print name **Susan Herpin**

Telephone No. **505-748-1471**

(This space for State use)

APPROVED BY _____ TITLE PAUL F. KAUTZ DATE APR 19 2002

Conditions of approval, if any:

ORIGINAL SIGNED BY
PETROLEUM ENGINEER

2A Anderson Ranch Penn