State of New Mexico /, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

<u>DESTRICT |</u>
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION 310 Old Santa Fe Trail, Room 206 Santa Fe, New Mexico 87503

WELL API NO

P.O. Drawer DD, Astesia, NM 88210

DISTRICT III

30-025-3453 0	
5. Indicate Type of Lease STATE	FEE
6. State Oil & Gas Lesse No. 23864	
7. Lease Name or Unit Agreement Nam	
Lease Name of Other Agreement Com-	-
	

1000 Rio Brazos Rd., Azia	SC, NIM 8/410				1 2	3864		
(DO NOT USE THIS F	ORM FOR PROF ERENT RESERV	ES AND REPORTS ON OSALS TO DRILL OR TO DE OIR. USE "APPLICATION FOOD) FOR SUCH PROPOSALS	EPEN XR PEI	OR PLUG BACK TO	A 7. La	ase Name o	r Unit Agreement Nai	
I. Type of Well:	QAS	OTHER				Brass	sie	
2. Name of Operator					8. W	ell No.		
David H.	Arrington	Oil & Gas, Inc.						
3. Address of Operator		land, Texas 79702				od manne or ' Vildcat		
4. Well Location		Feet From The		Line and	990	_ Feet From	East	Line
Section 3	33	Township 16 S	Rı	36 E	NMPM	Lea		County
		10. Elevation (Show of GR 3895	vhether	DF, RKB, RT, GR, etc	c.j 			
11.		opropriate Box to Indi NTION TO:	cate]				Data REPORT OF:	
PERFORM REMEDIAL W		PLUG AND ABANDON		REMEDIAL WORK	<		ALTERING CASIN	
TEMPORARILY ABANDO	N 🗆	CHANGE PLANS		COMMENCE DRIL	LING OPNS		PLUG AND ABANT	ONMENT X
PULL OR ALTER CASING				CASING TEST AN	D CEMENT.	юв 🗀		
OTHER:				OTHER:				
work) SEE RULE 110	03.	oos (Clearly state all pertinent d				timated date	of starting any propi	sed .
1. Set 5 1/2 " 2. PUH to 6700	CIBP @ 876	00' Spot 10 sacks 5 sacks CMT Plug	CMT	on top of Pl	lug.			

- 3. POOH with tubing
- 4. Welded on pull nipple. Pull on Csg. Csg. stuck @ 2500'. Cut off pull nipple
- 5. R.U. W/L R.in H. & perf. @ 4856' POOH with W/L R. in H. with PKR. Try to pump into Perfs. Pressured up to 1000psi. Could not pump into Perfs. POOH with PKR. R. in H open-ended. Spot 25 sacks cement plug. Tag plug @ 4743'
- 6. Cut csg. @ 25" POOH spot 50 sacks stub plug. Tag plug @ 2330'
- 7. P.U. hole to 2000' spot 50 sacks plug. Did not have to tag.
- 8. P.U. hole to 525. spot 55 sacks cmt. plug. Tag toc @ 345'
- 9. Put in 10 sacks surf. plug Weld on Day Hole marker. 4-20-0

	A halid	
SCHATCRE (As A Service of the Servic	Engineer	DATE 5/1/01
TYPE OR PROT NAME	TELEPHONE	NO.
(Then opens for State Libri)	- 666	MT/-22-03

