

BLOWOUT PREVENTOR SCHEMATIC

CHESAPEAKE OPERATING INC

WELL : B. MEDLIN #1-10


FIELD : LOVINGTON (STRAWN)

RIG : PATTERSON #48

COUNTY : LEA STATE : NEW MEXICO

OPERATION: DRILLING OUT BELOW 9 5/8" CASING

SIZE		PRESSURE	DESCRIPTION
A	13"		Bell Nipple
B	11"	5,000#	Annular
C	11"	5,000#	4-1/2" Pipe Rams
D	11"	5,000#	Blind Rams
E	11"	5,000#	Drilling Spool
G	11" 5M X 11" 3M Spool 14" tall		
H	11"	3,000#	Bradenhead



Test Schedule	
WP	All Components
70% WP	Annular
	Prior to Drilling Out
	Function Test Every Trip

SIZE		PRESSURE	DESCRIPTION
I	2"	5,000#	Kill Line
J	2"	5,000#	Check Valve
K	2"	5,000#	Gate Valve
L	4"	5,000#	Gate Valve
M	4"	5,000#	Gate Valve
N	4"	5,000#	Gate Valve
O	4"	5,000#	Choke Line
P	12"		Flow Line

ELF

ABOVE DATE DOES NOT
INDICATE WHEN
CONFIDENTIAL LOGS
WILL BE RELEASED

1/26/2000



30-025-29481



KM CHAVEROO SA UNIT # 13

DUGAN PRODUCTION CORP

1980FN 660FW

E-2-T8S-R33E

30-005-10466

