

Submit 2 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-34752
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	VA-753
7. Lease Name or Unit Agreement Name	
C. O. Jones ATK State	
8. Well No.	2
9. Pool name or Wildcat	Shoebar Strawn, Northwest
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	
3987' GR	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL

☒

GAS
WELL

☐

OTHER

2. Name of Operator

YATES PETROLEUM CORPORATION

3. Address of Operator

105 South 4th St., Artesia, NM 88210

4. Well Location Proposed BHL: 380' FSL & 2310' FWL of Sec. 11-T16S-R35E (Unit N, SESW)

Unit Letter M : 380 Feet From The South Line and 330 Feet From The West Line

Section 11

Township 16S

Range 35E

NMPM

Lea

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3987' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

REMEDIAL WORK ☐

ALTERING CASING ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

PULL OR ALTER CASING ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

OTHER: Acidize open hole completion (Strawn) ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-15-17-2000 - Moved in and rigged up Coiled Tubing Unit and N2 trucks. TIH with 1-3/4" coiled tubing and acidized 11412-13220' (Open Hole - Strawn) with 25000 gallons of 15% iron control HCL acid. Flushed with 15 bbls 2% KCL with 3 sacks soda ash. Displaced with 33 bbls nitrogen. Jetted with 1000 scf/minute N2. Shut well in. Rigged down coiled tubing unit. Released well to production department to return to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Rusty Klein

TITLE

Operations Technician

DATE May 1, 2000

TYPE OR PRINT NAME

Rusty Klein

TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

2/21/2000
Receiver
Hobbs
OCO