

DISTRICT I
P. O. Box 1980, Hobbs, NM 88240

DISTRICT II
P. O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P. O. Box 2088
Santa Fe, NM 87504-2088

| | |
|---|--|
| WELL API NO. 30-025-34984 | |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> | |
| 6. State Oil & Gas Lease No. B-2148 | |
| 7. Lease Name or Unit Agreement Name Caswell | |
| 8. Well No. 1 | |
| 9. Pool name or Wildcat Maljamar Grayburg San Andrea | |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR, USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

| | |
|--|--|
| 1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> | |
| 2. Name of Operator The Wiser Oil Company | |
| 3. Address of Operator P.O. Box 2568 Hobbs, New Mexico 88241 (505) 392-9797 | |
| 4. Well Location Unit Letter <u>M</u> : <u>660</u> Feet From The <u>South</u> Line and <u>560</u> Feet From The <u>West</u> Line Section <u>33</u> Township <u>16S</u> Range <u>32E</u> NMPM <u>Lea</u> County <u></u> | |
| 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4180' | |

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

| NOTICE OF INTENTION TO | | SUBSEQUENT REPORT OF: | |
|--|---|---|---|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | PLUG AND ABANDONMENT <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | | CASING TEST AND CEMENT JOB <input type="checkbox"/> | |
| OTHER: <input type="checkbox"/> | | OTHER: <u>Spudding, Cementing Surface & Production Casing</u> <input checked="" type="checkbox"/> | |

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU UTI Drilling Co. Rig # 154. Spudded 12-1/4" hole @ 3:15 p.m. 05/24/00. Drilled hole to 476'. Ran 11 jts. 8-5/8", 23#, ISW-42, ST&C csg. Set at 463'. Halliburton cemented with 280 sks. Class "C" containing 2% CaCl. Plug down at 2:45 a.m. 05/25/00. Circulated 40 sks. cmt. WOC. NU BOP and tested csg. to 1000# for 30 minutes, no pressure loss.

Drilled 7-7/8" production hole to a depth of 4500'. Ran 104 jts. 5-1/2", 17#, J-55, LT&C csg. Set at 4496'. Halliburton cemented w/850 sks. Halliburton Interfill "C" w/8# salt/sk. followed by 350 sks. Premium Plus w/3%CFR-3 & 1% LAT-1. Displaced w/104 bbls. FW. Plug down at 5:30 p.m. 05/31/00. Circulated 200 sks. cmt. WOC. Released rig at 6:00 p.m. 05/31/00.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mary Jo Turner TITLE Drilling Department DATE June 5, 2000

TYPE OR PRINT NAME Mary Jo Turner TELEPHONE NO. (505) 392-9797
(This space for State Use)

APPROVED BY

DATE

JUN 29 2000

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

| | |
|--------------------|-------|
| T. Anhy | 920' |
| T. Salt | 1050' |
| B. Salt | 2340' |
| T. Yates | |
| T. 7 Rivers | |
| T. Queen | 3300' |
| T. Grayburg | 3620' |
| T. San Andres | 4070' |
| T. Glorieta | |
| T. Paddock | |
| T. Blinebry | |
| T. Tubb | |
| T. Drinkard | |
| T. Abo | |
| T. Wolfcamp | |
| T. Penn | |
| T. Cisco (Bough C) | |

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____
T. _____
T. _____

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Poini Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Otzte _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No 2, from to

No. 3, from..... to

No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet.
No. 2, 6 to feet.

No. 3, from to feet
..... feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

| From | To | Thickness in Feet | Lithology |
|------|----|----------------------|-----------|
| | | | |

| From | To | Thickness in Feet | Lithology |
|------|----|----------------------|-----------|
| | | | |