Submit 3 Copies To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505		Form C-103 Revised March 25, 1999	
DISTRICT I 1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
DISTRICT II 811 South First, Artesia NM 88210			30-025-35029	.ce
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410			5. Indicate Type of Lease STATE ☑ FEE ☑	
District IV 2040 S. Pacheco, Santa Fe, NM 87505		6. State Oil & Gas Lease No. 24636		
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name:	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)				
1. Type of Well:			Mayfly "14" State Com	
Oil Well 🖾 Gas Well	Other			
2. Name of Operator David H. Arrington Oil & Gas, Inc.			8. Well No.	
3. Address of Operator P.O. Box 2071 Midland, Texas 79702			9. Pool name or Wildcat Northwest Shoe Bar Strawn	
4. Well Location 755				
Unit letter P: 338 feet from the South line and 1057 feet from the East line				
Section 14	Township 16S	Range 35E	NMPM	County Lea
	10. Elevation (Show whether 3985' GL 4001' KB	DF, RKB, RT, GR, etc.)	1	
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK		G CASING 🔟
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING	OPNS. X PLUG AN ABANDO	
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB		
OTHER:		OTHER: Complete D	Orilling X	
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any pro-				
posed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.				
Spud at 9:00 p.m. on May 11, 2000. Drill 17 ½" hole to 443'. Ran and cement 13 3/8" casing with 501 sx of cement. Circulate 269 sx cement to pit. Drill 12 1/4" hole to 4900'. Ran and cement 9 5/8" casing with 1600 sx cement. Circulate 560 sx of cement to pit. Drill 8 3/8" hole to 12,366'. Run open hole logs. Ran and cement 7" casing with 800 sx cement. Good circulation.				
				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE TO THE SIGNATURE	TITLE	President	DATE <u> M</u>	1ay 12, 2000
Type or print name David H. Arrington Telephone No. 915/682-6685				
(This space for State use)				rigerer des ≃
APPROVED BY	TIT	LE Di		DATE 2 20
Conditions of approval, if any:				

