

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-35616

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
28297

7. Lease Name or Unit Agreement Name:

Lou's Hopper

7. Well No.
1

8. Pool name or Wildcat
Wildcat Mississippian

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other **Dry Hole**

2. Name of Operator

David H. Arrington Oil & Gas, Inc

3. Address of Operator

P.O. Box 2071, Midland, Texas 79703

4. Well Location

Unit Letter B : 660' feet from the North line and 1980' feet from the East line

Section 19

Township 15S

Range 35E

NMPM Lea

County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
4030' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: P&A Well ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

Plug & Abandoned Well

03/04-05/02- TIH to plug well. PU 27 jts of DP. Plug well as follows:

NOTE: Halliburton froze up @ 1985', Circulating @ 1985' to thaw out Halliburton.

1st plug - 13,250'-13,026', 60 sxs of Class H

2nd plug - 11,709'-11,500', 60 sxs of Class H

3rd plug - 9715'-9506', 60 sxs of Class H

4th plug - 7400'-7191', 60 sxs of Class H

5th plug - 6033'-5938', 50 sxs of Class C-2% CC, wait 4 hrs & tagged cmt.

6th plug- 1985'-1788' w/50 sxs Class C

7th plug- 560'-450' w/50 sxs Class C

Wait 3 hrs & tagged cmt

8th plug- surface w/10 sxs Class C

ND & jet pits. RD. Rig rlsd 6:00 pm CTD.

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Chuck Sledge TITLE Engineer DATE 3/5/02

Type or print name Chuck Sledge

Telephone No. (915) 682-6685

(This space for State use)

APPROVED BY GARY W. WINK TITLE State Engineer DATE JAN 16 2003

Conditions of approval OFFICIAL REPRESENTATIVE II/STAFF MANAGER