

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-35793

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
V-6391

7. Lease Name or Unit Agreement Name:

Johnny State

8. Well No.

1

9. Pool name or Wildcat
Kemnitz Wolfcamp, West

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

MANZANO OIL CORPORATION

3. Address of Operator

P.O. BOX 2107 - ROSWELL, NM 88202-2107

(505) 623-1996

4. Well Location

Unit Letter 1/A : 660 feet from the NORTH line and 660 feet from the EAST line

Section 6 Township 17S Range 33E NMPM LEA County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
4245' KB

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☒

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Drilled ahead in 7 7/8" hole to 10,646' and developed hole in 8 5/8" casing @ 2490'-2550' (2/27/02)
2. Run 70jts (2817') 7" Flush Joint 23#/ft N-80 - RU Halliburton & cement w/175sx Class "C" w/3% CaCl₂
3. Lay down 4 3/4" drill string, ND BOP, NU wellhead, NU BOP & test to 2000#, PU 4" drill string & 6 1/8" drill bit & drill ahead in 6 1/8" hole

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mike Hanagan TITLE Agent DATE 5/10/02

Type or print name Mike Hanagan

Telephone No. 505-623-1996

(This space for State use)

APPROVED BY PAUL F. KAUTZ TITLE PETROLEUM ENGINEER DATE MAY 17 2002

Conditions of approval, if any:

ORIGINAL SIGNED BY
PAUL F. KAUTZ
PETROLEUM ENGINEER