

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. **NY-012350**

Unit **P**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 19, 1961

W. J. HENDRICKS

Well No. **3** is located **990** ft. from **N** line and **990** ft. from **E** line of sec. **13**

SE/4, SE/4, Sec. 13

T-19-S

R-32-E

N30°W

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

West Tonto Yates-Seven Rivers

Lea

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is **Not Yet Available** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

We propose to drill a Yates formation development well to an approximate depth of 3300' with rotary tools. Casing program to be as follows:

Hole Size	Casing Size & Wt.	Approx. Depth	Cement
11"	5-5/8" - 20#	300	Sufficient to Circulate
7-7/8"	4-1/2" - 9.5#	3300	Sufficient volume to tie surface and oil strings together.

Pay to be drilled in with mud, run radioactivity log, perforate indicated pays, stimulate, evaluate, and complete.

Estimated Tops of: Base Salt - 2780'; Yates sand - 3275'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Pan American Petroleum Corporation**

Address **Box 66**

Hobbs, New Mexico

By

Title **Area Superintendent**

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE


SECTION A

Operator Pan American Petroleum Corp.		Lease W.E. Bondurant		Well No. 3
Unit Letter P	Section 13	Township 19 South	Range 32 East	County Lea
Actual Footage Location of Well: 990 feet from the South line and 990 feet from the East line				
Ground Level Elev. Not Yet Avail.	Producing Formation Yates	Pool West Tonto Yates-Seven Rivers	Dedicated Acreage: 40 Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ☐ NO ☐ If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B



0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

RECEIVED
JAN 26 1961
UNITED STATES SURVEY
ARIZONA, NEW MEXICO
CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name Original Signed by: V. E. STALEY
Position Area Superintendent
Company Pan American Petroleum Corp.
Date 1-19-61

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed Jan. 12, 1961
Registered Professional Engineer and/or Land Surveyor, JOHN E. WEST
Certificate No. NEW MEXICO N. M. - P. E. & L. S. NO. 676

JOHN W. WEST ENGINEERING COMPANY

412 NORTH DAL PASO
HOBBS, NEW MEXICO

January 13, 1961

Pan American Petroleum Corp.
Hobbs, New Mexico

Gentlemen:

On January 12, 1961, a survey was made to locate your W.E. Bondurant No. 3 Well at a point 990 feet from the South and East lines of Section 13, Township 19 South, Range 32 East, N.M.P.M., Lea County, New Mexico.

A flag was set up at the U.S.G.L.O. Marker set for the East Quarter Section Corner of said Section 13 and the Transit was set up on the U.S.G.L.O. Marker set for the Southeast corner of said Section 13. Thence chaining North a distance of 990 feet, from the Transit, a hub with a tack was set; Thence chaining West a distance of 990 feet from said hub to the location of your W.E. Bondurant No. 3 Well. As a check on our survey we chained North from said location 1650 feet and East 990.2 feet to the U.S.G.L.O. Marker set for the East Quarter Section Corner of said Section 13 closing within 0.20 feet of the distance shown on the U.S.G.L.O. Township Plats.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted

John W. West
John W. West