

NEW MEXICO OIL-CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Artesia, New Mexico

May 16, 1956

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Barney Cookburn

Ohio-State

Well No. 5

in Sec. 32 and 33

Company or Operator

Lease

of Sec. 32, T 17S, R 33E, N. M., P. M., Maljamar Field, Lea County.

The well is 1650 feet (N.) (S.) of the N line and 330 feet (E.) (W.) of the E line of Sec. 32-17S-33E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. B-5310 Assignment No.

If patented land the owner is

Address

If government land the permittee is

Address

The lessee is Barney Cookburn

Address Box 105, Artesia, New Mexico

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Cable Tools to approximately 4300'

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
15"	13 1/2"	42#	SH	Ap. 100'	Water string	mud
12 1/2"	10 3/4"	34#	SH	Ap. 800'	Water string	mud
10"	8 5/8"	28	SH	Ap. 1350'	Cemented	50 sacks
8"	7"	20	SH	Ap. 4000'	Cemented	100 sacks

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about _____ feet.

Additional information:

Approved _____

MAY 17 1956

except as follows:

The surface pipe 13 1/2" must be cemented and left in hole if fresh water is found above 300 ft

OIL CONSERVATION COMMISSION,

By

Title

Roy Yankovich

Sincerely yours,

Barney Cookburn

Company or Operator

By

Position

Owner

Send communications regarding well to

Name

Barney Cookburn

Address

Box 105, Artesia, New Mexico

Company Barney Cockburn


Lease Ohio-State Well No. 5

Sec. 32 T. 17 S., R. 33 E., N.M.P.M.
NE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$

Location 1650' fr NL & 330' fr EL

County Lea, New Mexico

chained distances



Scale 4" = 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Artesia, New Mexico

Surveyed May 12, 19 50

17522 Advocate Print

[Signature]
Registered Professional
Engineer and Land Surveyor.

USGLOS
BRASS CAP
 $\frac{1}{4}$ "
S32 S33

N

_____ Handbook of _____

1. *Pharmaceuticals* (1998) 10(1): 1-12.

RECEIVED: 15 SEPTEMBER 1997

[illegible][illegible]

00000000000000000000

1. The above information was obtained from the following sources:

Engineer and Mr. S. J. ...
Register ...

Journal of Management Education 30(6)p.789-804

3074 515-042 4031