

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE*
(Other instructor's re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

IC-060967

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wyatt Phillips

9. WELL NO.

3

10. FIELD AND POOL, OR WILDCAT

Maljamar CB-SA

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 33, T17S, R33E

12. COUNTY OR PARISH

Lea

13. STATE

N. M.

1.

OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

James P. Dunigan

3. ADDRESS OF OPERATOR

c/o Oil Reports & Gas Services, Box 763, Hobbs, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1650' FNL & 330' FNL of Section 33

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

NA

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) **Deepened and ran liner**

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 4 3/4" hole to 4432. Ran 4" OD 11.43# J-55 hydrill liner and set at 4430 with top at 3509. Cemented with 400 sacks Incor cement and 50 sacks Gilsonite. Perforated 4354-57; 4378-81 with 4 jet shots per foot. Treated with 500 gallons 15% Spearhead acid, 6000 gallons lease oil, 4000# 20/40 sand, 150# admite. Swabbed 100% salt water. Set cast iron bridge plug at 4345 and capped with 1 sack cement. Perforated 4320-23 and treated with 500 gallons Spearhead acid, 5000 gallons lease oil, 2500# 20/40 sand, 150# admite. Recovered load and pumped 5 bbls oil and 9 bbls water per day.

18. I hereby certify that the foregoing is true and correct

SIGNED

M. L. Gordon

TITLE

Agent

DATE

12/27/65

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED

DEC 28 1965

*See Instructions on Reverse Side

**J. L. GORDON
ACTING DISTRICT ENGINEER**

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.