


Form 9-331a  
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

 UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office

LC 060967

Lease No.

Williams

RECEIVED

JUN 7 1960

JUN 1 - 1960

U. S. GEOLOGICAL SURVEY

HOBBS, NEW MEXICO

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 1, 1960

Well No. 1 is located 1980 ft. from N line and 812 ft. from E line of sec. 33  
SE/4 NE/4 Sec 33 T-17-S R-33-E  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Undesignated Lea County New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. (Furnish later)

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill well to approximately 9000', Abo Reef test, with rotary. Set 13-3/8" casing (27.3 & 48#) at approximately 320' in 17-3/4" hole and circulate cement to surface; set 8-5/8" (24 & 32#) casing in 11" hole at approximately 4775' and circulate cement to surface; set 5-1/2" (14, 15.5 & 17#) casing at total depth and cement to tie into base of 8-5/8" casing. Drill hole with native mud and salt-saturated fluid with addition of oil and gel to run 8-5/8" casing. Drill below 8-5/8" casing point with clear water to approximately 8100' and low solids emulsion to T.D.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Phillips Petroleum Company  
 Address Box 2105  
Hobbs, New Mexico

RECEIVED

JUN 6 1960 By

 U. S. GEOLOGICAL SURVEY District Chief Clerk  
 Title  
 ARTESIA, NEW MEXICO

GPO 8 620 40

Engineer and/or Land Surveyor.

Certificate No. 679

(See instructions for completing this form on the reverse side)



INSTRUCTIONS FOR COMPLETION:

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission ~~shall show~~ on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the ~~outer~~ boundaries of Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, ~~please use~~ space below

\* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)