Form 9-831 a (Feb. 1951)						
				•		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Offic	: .
esse No.	LC-060967
	illiess

		1 1980	II	
OTICE OF INTENTION TO	DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	1
OTICE OF INTENTION TO			SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.	
	TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	1
	O RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.	
-	O PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
	O ABANDON WELL			
	(INDICATE ABOVE BY CHECK N	IARK NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)	
			June 1	, 19 60
/A NE/A Sec 3 (½ Sec. and Sec. No	o.) (Twp.)	(Ran	ty New Hexico	·
(Field)	(Cou	nty or Sul	bdivision) (State or Territory)	
بطه عمر سينه سيار	e derrick floor above sea	level	is ft (Vermich lutar)	
ne elevation of the	c deliter noor above see	ICVCI	12 Trift de lipente man and l	
ie elevation of the				
	DET	TAILS	OF WORK	jobs, cemer
rill well to a	DET ed depths to objective sands; sho ing points, and	ΓAILS w sizes, w all other	OF WORK veights, and lengths of proposed casings; indicate mudding important proposed work) Recf test, with rotary. Set 13-	3/8" ca
rill well to a 27.3 & 48#) et et 8-5/8" (24 a ment to surfaction into base at this with additional end of the eddition into base at the eddition int	pproximately 9000', approximately 320' \$ 32#) casing in 11 ce; set 5-1/2" (14, f 8-5/8" casing. I	TAILS w sizes, w all other Abe in 1 be 15.5 rill	OF WORK veights, and lengths of proposed casings; indicate mudding important proposed work)	3/8" ca to sui culate di cemen turuted -5/8" c
rill well to appropriate to appropriate to surface into base appropriate with eddition with elease to the surface into base appropriate with elease to the surface appropriate with elease appropriate the surface appropriate appropriate the surface appropriate appropriate	pproximately 9000', approximately 9000', approximately 320' & 32#) casing in 11 ce; set 5-1/2" (14, f 8-5/8" casing. ition of oil and gel r water to approximately approximately 320'	rails w sizes, w all other habe in l hol is hol ite i	of WORK reights, and lengths of proposed casings; indicate mudding important proposed work) Reef test, with rotary. Set 13-17-3/4" hole and directate coment to at approximately 4775' and cir 5 & 17#) casing at total depth an hole with mative mud and selt—serum 8-5/8" easing. Drill below 8	3/8" on to sui culate di commo turated -5/8" o T.D.
ill well to a 7.3 & Adr) at 8-5/8" (24 ament to surface into base of and with addition with clear	pproximately 9000', approximately 9000', approximately 320' & 32#) casing in 11 ce; set 5-1/2" (14, f 8-5/8" casing. I tion of oil and gal r water to approximately 120' approximately 320' and gal restored to approximately 320' and 320	rails w sizes, w all other habe in l hol is hol ite i	of WORK reights, and lengths of proposed casings; indicate mudding important proposed work) Reef test, with rotary. Set 13-17-3/4" hole and direulate coment le at approximately 4775' and cir 5 & 17#) casing at total depth and hole with mative mud and selt—serum 8-5/8" easing. Drill below 8 y \$180' and low selids emulsion t	3/8" ca to sur culate d common turated -5/8" c
rill well to appropriate to appropriate to appropriate to surfaction to be appropriate to the clear with clear appropriate that with clear appropriate the clear appropriate that the clear appropriate the clear appropriate that the clear appropriate the clear appropriate that the clear appropriate the clear appropriate that the clear appropriate	pproximately 9000', approximately 9000', approximately 320' & 32#) casing in 11 ce; set 5-1/2" (14, f 8-5/8" casing. I tion of oil and gal r water to approximately 120' approximately 320' and gal restored to approximately 320' and 320	rails w sizes, w all other habe in l hol is hol ite i	of WORK reights, and lengths of proposed casings; indicate mudding important proposed work) Reef test, with rotary. Set 13-17-3/4" hole and directate coment to at approximately 4775' and cir 5 & 17#) casing at total depth an hole with mative mud and selt—serum 8-5/8" easing. Drill below 8 y 8180' and low selids emulsion to	3/8" ca to sur culate d common turated -5/8" c
ill well to a 7.3 & Adr) at t 8-5/8" (24 a ment to surface into base a mid with edding int with clear propany Phil	pproximately 9000', approximately 320's 32#) casing in 11 ce; set 5-1/2" (14, f 8-5/8" casing. I tion of oil and gal r water to approximately 120's plan of work must receive approximately 11ps Petroleum Comp	rails w sizes, w all other habe in l hol is hol ite i	of WORK reights, and lengths of proposed casings; indicate mudding important proposed work) Reef test, with rotary. Set 13-17-3/4" hole and directate coment to at approximately 4775' and cir 5 & 17#) casing at total depth an hole with mative mud and selt—serum 8-5/8" easing. Drill below 8 y 8180' and low selids emulsion to	3/8" or to sur culate d come turated -5/8" o T.D.
ill well to a 7.3 & A&#) at t 8-5/8" (24 a ment to surface into bese a mid with edding with edding with clear and with clear a	pproximately 9000', approximately 9000', approximately 320' & 32#) casing in 11 ce; set 5-1/2" (14, f 8-5/8" casing. I tion of oil and gal r water to approximately 120' approximately 320' and gal restored to approximately 320' and 320	rails w sizes, w all other habe in l hol is hol ite i	of WORK reights, and lengths of proposed casings; indicate mudding important proposed work) Reef test, with rotary. Set 13-17-3/4" hole and direulate coment le at approximately 4775' and cir 5 & 17#) casing at total depth and hole with mative mud and selt—serum 8-5/8" easing. Drill below 8 y \$180' and low selids emulsion t	3/8" or to sur culate d come turated -5/8" o T.D.

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.						Date	June 1	, 1960	
Guerator	Phillips	Petroleum	Company	Lease	Sillier	•			,
Well No.	1 Un:	it Letter	<u> </u>	33	Township_		_Range_	33E	NMPN
Located	1980	Feet From	north L. Elevation	ine, <u>612</u>		et From ed Acreage		40	Line Acres
ounty Same of Pr	oducina	Formation	Abo Reef	[T#161.]	Pool	~ -			
• Is the	Operato:	r the only	owner* in th	e dedicated	acreage o	utlined on	the pla	t below	?
Yes_	No_			ll bassa Aba	: n+nmnn+n /	af all +ba	ownome.	haan	
2. If the	e answer : Lidated b	to questior v communiti	one is "no, zation agree	" nave the ment or oth	interests (erwise? Ye	es No	• I	been f answe	r is
HVAC I	' Type of	Consolidat	ion						
If the below:		to questior	two is "no,	" list all	the owners	and their	respect	ive int	erests
	<u>Ow</u>	ner			Land Des	cription			
- · · · · · · · · · · · · · · ·									
							.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
ection.B						7			
	1			ļ		1			
	}			i			to cert	-	
	1			1	1980'		tion in s true a		
	1			1		•	best of	-	
	,			I		and bel		•	
						Philli	re Petro	leum Co	SECRET
						1	Operator		
				200		1/1	101	1	
	1			-	812'	- (Po	<i>MODO</i> presenta	LOCK.	
				/ #3	•	1	•		
				Ç.		1	05, Hobb	a, Nev	Mesci ce
					······································		Address		
				§ 1			to cert		
				; ;			cation s		
	Ì			, !			Section eld note		
				1			made by		
	,			ì		my supe	rvision	and tha	it the
							true an		
	1			İ		boline	t of my		
	İ			j		Date Su	rveyed	5-27-	60
	! !			į		7~	47. 8.	· la	
	! !						red Prof		
] 			1		Enginee	r and/or	Land S	urveyo:
						-	* -	4	
390 660	990 1320	1650 1980 231	2000	1500 1000	500	• Certifi	cate No.	67	9

(See instructions for completing this form on the reverse side)

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plant the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)