



(SUBMIT IN TRIPLICATE)
RECEIVED
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
NOV 18 1953
OIL & GAS DIVISION
HOUSTON OFFICE

Land Office Las Cruces
Lease No. 060967
Unit B
Wyatt-Phillips #6

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... November 19., 19 53

Well No. 6 is located 2310 ft. from N line and 330 ft. from W line of sec. 34

SW SW SW Sec. 34 17N 33E RPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Corbin (El) Lee New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well to test the red sand, expected at about 3900 feet. 8 5/8" surface casing will be set by rotary tools at approx. 1400 feet and cemented with 50 sacks. 7" casing will be run to the top of the red sand at approx. 3900 ft. and cemented with 100 sacks. Cable tools will be moved on after surface casing is set.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Harney Cockburn

Address Box 105

Artesia, N. M.

By C. J. Barnes

Title Ag.