		. <u>М.</u> О	······································	Budget Burea	u No. 42-R3.	
REPORT OVED			$\begin{array}{cccc} e_{0} & e_{1} & 1 & 1 \\ e_{1} & e_{2} & e_{1} & e_{2} \end{array}$	Approval expires 12–31-60.		
MAYP	3 10k2 /) (SU	(SUBMIT IN TRIPLICATE)			Land Office New Maxico	
	- Amat	INITE	D STATES	Lease No. LC 36	2391	
JAMES A	KNARF			Unit 0		
	ENGINEER DEPARTN		OF THE INTERIOR	7		
OTIF USUT-M- SH		OLUGI	CAL SURVEY			
NITNESS CEVENTING	BEFSE CASING			444		
	SUNDRY NOTICES	S AN	D REPORTS ON	WELLS	4 ⁶ 863	
NOTICE OF INTE	ENTION TO DRILL	×				
	ENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF WATER SUBSEQUENT REPORT OF SHOOTI			
	ENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERI			
NOTICE OF INTE	ENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRI		1	
NOTICE OF INTE	ENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDO			
NOTICE OF INTE	ENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY			
NOTICE OF INTE	ENTION TO ABANDON WELL					
	(INDICATE ABOVE BY CHECK	MARK NAT	URE OF REPORT, NOTICE, OR OTHER	DATA)		
Wyatt			May	25	196	
SIN/A SE/A	is located E90 ft. 33 17 S nd Sec. No.) (Twp.)	33 E (Ran)	NMP	(MV)		
Cerbin-Abc			Ne	w Mexico		
		anty or Sub		(State or Territory)		
(F	ield) (Co	-	odivision)	All and a state of the second second		
(F	of the derrick floor above se	a level i	is 4075 ft.	All and a state of the second second		
(F) The elevation	of the derrick floor above se DE	a level i TAILS	odivision) is 4075 ft. OF WORK	(State or Territory)		
(F) The elevation	of the derrick floor above se DE	a level i TAILS	odivision) is 4075 ft. OF WORK	(State or Territory)	jobs, cemer	
(F The elevation (State names of an	ield) (Co a of the derrick floor above se DE nd expected depths to objective sands; sh ing points, and	a level i TAILS ow sizes, we d all other	odivision) is 4075 ft. OF WORK sights, and lengths of proposed cas important proposed work)	(State or Territory) ings; indicate mudding		
(F The elevation (State names of ar We propose	ield) (Co n of the derrick floor above se DE nd expected depths to objective sands; sh ing points, an ing points, an	a level i TAILS ^{ow sizes, we} d all other ary tool	odivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) s to on opproximete de	(State or Territory) ings; indicate mudding		
(F The elevation (State names of ar We propose	ield) (Co a of the derrick floor above se DE nd expected depths to objective sands; sh ing points, and	a level i TAILS ^{ow sizes, we} d all other ary tool	odivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) s to on opproximete de	(State or Territory) ings; indicate mudding		
(F The elevation (State names of ar We propose unless comm	ield) (Co n of the derrick floor above se DE nd expected depths to objective sands; sh ing points, an to drill this well with Rotu nerelal production is obtain	a level i TAILS ow sizes, wo d all other any tool red at a	odivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth.	(State or Territory) ings; indicate mudding		
(F The elevation (State names of an We propose unless comm We will run	ield) (Co n of the derrick floor above se DE nd expected depths to objective sands; sho ing points, an to drill this well with Rote merelal production is obtain approximately the followi	a level i TAILS ow sizes, wo d all other any tool and at a ang casi	adivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth.	(State or Territory) ings; indicate mudding with of 3850 fee		
(F The elevation (State names of ar We propose unless comm We will run 300 feet	ield) (Co a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote mercial production is obtain approximately the following 11 3/4" O.D. casing with	a level i TAILS w aizes, w d all other any tool red at a ing casi sufficie	odivision) is 4075 ft. OF WORK sights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. ing program: and coment to circulate	(State or Territory) ings; indicate mudding with of 3850 fee		
(F) The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote mereial production is obtain approximately the followil 11 3/4" O.D. casing with 8 5/8" O.D. casing, case	a level i TAILS our sizes, wo d all other any tool and at a ing casi sufficie ented w	odivision) is 4075 ft. OF WORK sights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. Ing programs ent coment to circulate with 250 sacks coment.	(State or Territory) ings; indicate mudding with of 8850 fee		
(F) The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet	ield) (Co a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote mercial production is obtain approximately the following 11 3/4" O.D. casing with	a level i TAILS our sizes, wo d all other any tool and at a ing casi sufficie ented w	odivision) is 4075 ft. OF WORK sights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. Ing programs ent coment to circulate with 250 sacks coment.	(State or Territory) ings; indicate mudding with of 8850 fee		
(F) The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote mereial production is obtain approximately the followil 11 3/4" O.D. casing with 8 5/8" O.D. casing, case	a level i TAILS our sizes, wo d all other any tool and at a ing casi sufficie ented w	odivision) is 4075 ft. OF WORK sights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. ing program: ent coment to circulate with 250 socks coment. with 300 socks coment.	(State or Territory)	¥,	
(F) The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote mereial production is obtain approximately the followil 11 3/4" O.D. casing with 8 5/8" O.D. casing, case	a level i TAILS our sizes, wo d all other any tool and at a ing casi sufficie ented w	odivision) is 4075 ft. OF WORK sights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. ing program: ent coment to circulate with 250 socks coment. with 300 socks coment.	(State or Territory)	¥,	
(F The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet 8850 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote nerelal production is obtain approximately the followi 11 3/4" O.D. casing with 8 5/8" O.D. casing, cent 5 1/2" O.D. casing, cent	a level i TAILS ow sizes, we d all other any tool ned at a ing casi sufficie onted we onted w	odivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. ing program: ent coment to circulate with 250 socks coment. with 300 socks coment.	(State or Territory)	¥,	
(F The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet 8850 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote nerelal production is obtain approximately the followi 11 3/4" O.D. casing with 8 5/8" O.D. casing, cent 5 1/2" O.D. casing, cent	a level i TAILS ow sizes, we d all other any tool ned at a ing casi sufficie onted we onted w	odivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. ing program: ent coment to circulate with 250 socks coment. with 300 socks coment.	(State or Territory)	¥,	
(F The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet 8850 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote mereial production is obtain approximately the followil 11 3/4" O.D. casing with 8 5/8" O.D. casing, case	a level i TAILS ow sizes, we d all other any tool ned at a ing casi sufficie onted we onted w	odivision) is 4075 ft. OF WORK eights, and lengths of proposed cas important proposed work) is to an approximate de a lesser depth. ing program: ent coment to circulate with 250 socks coment. with 300 socks coment.	(State or Territory)	¥,	
(F) The elevation (State names of ar We propose unless comm We will run 300 feet 3000 feet 8850 feet	ield) (Go a of the derrick floor above se DE ad expected depths to objective sands; sh ing points, and to drill this well with Rote nerelal production is obtain approximately the followi 11 3/4" O.D. casing with 8 5/8" O.D. casing, cent 5 1/2" O.D. casing, cent	a level i TAILS w sizes, w all other any tool red at a sufficie anted w anted w	ng by the Geological Survey before	(State or Territory) ings; indicate mudding opth of 8850 fee	¥,	
(F) The elevation (State names of an We propose unless comm We will run 300 feet 3000 feet 8850 feet	A of the derrick floor above se DE De despected depths to objective sands, shiing points, and to drill this well with Roth merelal production is obtain approximately the following 11 3/4" O.D. casing with 8 5/8" O.D. casing, cam 5 1/2" O.D. casing, cam bat this plan of work must receive approximately Corper Orilling Company	a level i TAILS w sizes, w all other any tool red at a sufficie anted w anted w	ng programs and comparison of the construction of the second second second second second second second second second seco	(State or Territory) ings; indicate mudding opth of 3850 fee MA) operations may be con	1 , 1 menced. 1 <u>7 32</u>	
(F) The elevation (State names of an We propose unless comm We will run 300 feet 3000 feet 8850 feet	A of the derrick floor above se DE and expected depths to objective sands, shing points, and to drill this well with Rote mereial production is obtain approximately the following 11 3/4" O.D. casing with 8 5/8" O.D. casing, can 5 1/2" O.D. casing, can be the this plan of work must receive approximately that this plan of work must receive approximately 200 Carper Building	a level i TAILS w sizes, w all other any tool red at a sufficie anted w anted w	ng programs and comparison of the construction of the second second second second second second second second second seco	(State or Territory) ings; indicate mudding opth of 3850 fee MA) operations may be con	1 , 1 menced. 1 <u>7 32</u>	
(F) The elevation (State names of an We propose unless comm We will run 300 feet 3000 feet 8850 feet	A of the derrick floor above se DE De despected depths to objective sands, shiing points, and to drill this well with Roth merelal production is obtain approximately the following 11 3/4" O.D. casing with 8 5/8" O.D. casing, cam 5 1/2" O.D. casing, cam bat this plan of work must receive approximately Corper Orilling Company	a level i TAILS w sizes, w all other any tool red at a sufficie anted w anted w	ng programs and comparison of the construction of the second second second second second second second second second seco	(State or Territory) ings; indicate mudding opth of 3850 fee MA) operations may be con	1 , 1 menced. 1 <u>7 32</u>	
(F) The elevation (State names of an We propose unless comm We will run 300 feet 3000 feet 8850 feet	A of the derrick floor above se DE and expected depths to objective sands, shing points, and to drill this well with Rote mereial production is obtain approximately the following 11 3/4" O.D. casing with 8 5/8" O.D. casing, can 5 1/2" O.D. casing, can be the this plan of work must receive approximately that this plan of work must receive approximately 200 Carper Building	a level i TAILS w sizes, w all other any tool red at a sufficie anted w anted w	ng programs and comparison of the construction of the second second second second second second second second second seco	(State or Territory) ings; indicate mudding pth of 8850 fee MA) 25 high for operations may become indicate mudding	1 , 1 menced. 1 <u>7 32</u>	

NUMBER OF COPIES RECEIVED DISTRIBUTION AANTA FE FILE U.S.G.S. LAND OFFICE TRANSPORTER OIL OAS PRORATION OFFICE OBERATOR	WELL LOCATI SEE INSTRUCTIONS	FOR COMPLETING	AGE DEDI	1000	AM 8 27
Operator Carper Drilling Comp	anv. Inc.	Lease Wyatt			Well No.
Unit Letter Section O 33	Township 17 S	Range 33 E	County		•
Actual Footage Location of Well: 890 feet from the	South line and	0460	feet from the	Eest	line
Ground Level Elev. Producing 1 4064° Abo	Formation	Pool	in-Abo		dicated Acreage: 40 Acres
 Is the Operator the only owner i who has the right to drill into an another. (65-3-29 (e) NMSA 1 If the answer to question one is wise? YESNO If the answer to question two is Owner 	nd to produce from any poo 935 Comp.) "'no," have the interests If answer is "yes," Type	of and to appropriate i of all the owners bee of Consolidation	the production entry of the pr	ither for himsel by communitiza	f or for himself and
	SECTION B		N N] CE	
				in SECTION plete to the b belief. Name Position Exec. Company Corpe Date	tify that the information A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- post of my knowledge and A above is true and com- vector of my knowledge and A above is true and com- vector of my knowledge and A above is true and com- vector of my knowledge and A above is true and A ab
0 330 660 990 1320 1650	× 8 × 8 1 1 1 1 1 1 1 1 1 1 1 1 1		500 0	shown on the plotted from a surveys made supervision, and correct to and belief. Date Surveye May 25	1962 Professional Engineer Surveyor

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.