


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies



AREA 640 ACRES  
LOCATE WELL CORRECTLY

Neville G. Penrose, Inc.

Williams

(Company or Operator)

(Lessee)

Well No. 1, in SE 1/4 of NE 1/4, of Sec 6, T. 18S, R. 33E, NMPM.  
Corbin Pool, Lea County.

Well is 1980 feet from North line and 660 feet from East line  
of Section 6. If State Land the Oil and Gas Lease No. is -----

Drilling Commenced September 23, 1956 Drilling was Completed October 19, 1956

Name of Drilling Contractor Cactus Drilling Co.  
Address 217 Green Acres Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3973  
Not Confidential The information given is to be kept confidential until 19-----

OIL SANDS OR ZONES

No. 1, from 4079 to 4114 No. 4, from ----- to -----  
No. 2, from ----- to ----- No. 5, from ----- to -----  
No. 3, from ----- to ----- No. 6, from ----- to -----

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ----- to ----- feet.  
No. 2, from ----- to ----- feet.  
No. 3, from ----- to ----- feet.  
No. 4, from ----- to ----- feet.

CASING RECORD

SIZE OF PIPE	WEIGHT PER FOOT	TYPE OF Casing	AMOUNT	KIND OF JOINT	CUT AND JOINTED FROM	PERFORATIONS	PURPOSE
8-5/8"	24#	NEW	1475	Tex. Pat.	----	-----	Surface
5 1/2"	14#	NEW	4072	Packer	----	-----	Production

DRILLING AND CEMENTING RECORD

SIZE OF PIPE	WEIGHT PER FOOT	TYPE OF Casing	NO. BAGS OF CEMENT	WEIGHT OF CEMENT	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	1475	100	100	Hallib. Plug	----
8"	5 1/2"	4072	150		Hallib. Plug	----

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation-----

Depth Cleaned Out-----

EX D OF DRILL-STEM AND SPECIAL 7 68

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 1475 feet, and from 1475 feet to 4114 feet.  
Cable tools were used from 1475 feet to 4114 feet, and from 4114 feet to 0 feet.

PRODUCTION

Put to Producing November 8, 1956

OIL WELL: The production during the first 24 hours was 80 barrels of liquid of which 100 % was oil; 35.2 % was emulsion; 0 % water; and 0 % was sediment. A.P.I. Gravity 35.2

GAS WELL: The production during the first 24 hours was 0 M.C.F. plus 0 barrels of liquid Hydrocarbon. Shut in Pressure 0 lbs.

Length of Time Shut in 0

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	1410		T. Devonian		T. Ojo Alamo
T. Salt	1500		T. Silurian		T. Kirtland-Fruitland
B. Salt	2695		T. Montoya		T. Farmington
T. Yates	2855		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	4074		T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn			T.		T.
T. Miss			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1410	1410	Red Beds				
1410	1500	90	Anhydrite				
1500	2695	1195	Salt				
2695	2855	60	Anhydrite				
2855	3330	475	Sand & Anhy. w/ strks. of Dolomite				
3330	4074	744	Anhydrite w/ strks of Sand, Shale & Dolomite				
4074	4107	33	Sand				
4107	4114	7	Sand & Anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Neville G. Penrose, Inc. Address Box 988 Eunice, New Mexico  
Name T.H. Bright Position or Title Production Supt.  
Date 11-12-56