

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

**DUPLICATE**

**NOTICE OF INTENTION TO DRILL OR RECOMPLETE**

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. Changes in the proposed plan are considered advisable, a copy of this notice, showing such changes will be returned to the sender. Submit this notice in **QUINTUPPLICATE**. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

**Eunice, New Mexico**  
(Place)

**September 7, 1955**  
(Date)

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the ~~RECOMPLETION~~ (Recompletion) of a well to be known as  
**Neville G. Penrose Inc.**

(Company or Operator)

**Williams #1**  
(Lease)

Well No. **1**, in **I** (Unit) The well is

located **1980** feet from the **South** line and **660** feet from the

**East** line of Section **6**, T. **18S**, R. **33E**, NMPM.

(GIVE LOCATION FROM SECTION LINE) **Wildecut** Pool, **Lea** County

D	C	B	A
E	F	G	H
L	K	J	I*
M	N	O	P

If State Land the Oil and Gas Lease is No. ....

If patented land the owner is **George Williams**

Address.....

We propose to drill well with drilling equipment as follows: **Rotary to TD**

The status of plugging bond is **Blanket**

Drilling Contractor **Thomas Drilling Co.**  
**Hobbs, New Mexico**

We intend to complete this well in the **Queens Sand** formation at an approximate depth of..... feet.

**CASING PROGRAM**

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
<b>2 1/2"</b>	<b>8-5/8"</b>	<b>32#</b>	<b>S.H.</b>	<b>616</b>	
<b>8-5/8"</b>	<b>5 1/2"</b>	<b>14#</b>	<b>S.H.</b>	<b>4075</b>	<b>50</b>

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

**Rig up & clean out to 650'. Attempt to screw into 8-5/8" collar at 616'. Clean out to 4200' and set 10 sack cement plug at 4200' with top no higher than 4150'. Run gamma ray & neutron log to TD. Run 5 1/2" csg. to about 4075' and cement w/50 sks. Wash open hole with 250 gals. of acid. Sandfrac with 8000 gals. of oil, 4000# sand preceded with 500 gals. acid. Swab to completion.**

Approved....., 19.....

Except as follows:\*\*\*\*\*

If the well is completed as a producer, as much cement as is practical will be placed behind the 8-5/8" csg. up to a maximum of 185'

**Neville G. Penrose Inc.**

(Company or Operator)

By **T. H. Wright**

Position **Production Supt.**

Send Communications regarding well to

Name **Neville G. Penrose Inc.**

Address **Box 988**

**Eunice, New Mexico**

OIL CONSERVATION COMMISSION

By **C. M. Rider**

Title **Field District**