

BOARD OF DRILL-STEM AND SPECIAL T.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4150 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 1-4-62, 19.

OIL WELL: The production during the first 24 hours was 105 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 34

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

T. Anhy. 1415
T. Salt 1752
B. Salt 2720
T. Yates 2572
T. 7 Rivers
T. Queen 4137
T. Grayburg
T. San Andres
T. Glorieta
T. Drinkard
T. Tubbs
T. Abo
T. Penn.
T. Miss.

T. Devonian
T. Silurian
T. Montoya
T. Simpson
T. McKee
T. Ellenburger
T. Gr. Wash.
T. Granite
T.
T.
T.
T.
T.
T.

Northwestern New Mexico

T. Ojo Alamo
T. Kirtland-Fruitland
T. Farmington
T. Pictured Cliffs
T. Menefee
T. Point Lookout
T. Mancos
T. Dakota
T. Morrison
T. Penn.
T.
T.
T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	60	60	Caliche				
60	130	70	Sand				
130	1415	1285	Red Bed				
1415	1752	337	Anhy. & Shale Sand				
1752	2720	968	Salt				
2720	3040	320	Anhy. Sand shale				
3040	4111	1071	Anhy. Dol. Sand				
4111	4154	43	and				
4154	4180	26	Interbedded anhy. and Dol.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Revell L. Finamore, Inc. Address Box 988 Eunice, N.M. 1-12-62 (Date)
Name R. E. Crowell Position or Title Supt. Driller