

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

JUN 10 1 33 AM '69

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

### SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <b>Sohio Petroleum Company</b>	8. Farm or Lease Name <b>Williams "A"</b>
3. Address of Operator <b>P. O. Box 3167, Midland, Texas</b>	9. Well No. <b>1</b>
4. Location of Well UNIT LETTER <b>H</b> , <b>1980</b> FEET FROM THE <b>North</b> LINE AND <b>660</b> FEET FROM <b>East</b> LINE, SECTION <b>6</b> TOWNSHIP <b>18S</b> RANGE <b>33E</b> N.M.P.M.	10. Field and Pool, or Wildcat <b>Corbin Queen</b>
15. Elevation (Show whether D.F., R.T., G.R., etc.) <b>3973 G.L., 3977 D.F.</b>	12. County <b>Lea</b>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐  
TEMPORARILY ABANDON ☐  
PULL OR ALTER CASING ☐  
OTHER ☐

PLUG AND ABANDON ☒  
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐  
COMMENCE DRILLING OPNS. ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plugging procedure proposed as follows:

- Place 20 sk. Regular cement plug from T.D. of 4114' to 4019' (42' of 8" OH & 53' inside 5½").
- Pull and salvage 5½" casing from estimated top of cement behind 5½" casing @ 3170'.
- Place 15 sk. plug in and out of 5½" stub from approximately 3210' to 3140'.
- Place 15 sk. plug in and out of 8 5/8" casing from 1500' to 1450' (8 5/8 @ 1475').
- Place 5 sk. plug in 8 5/8" surface pipe at surface; place 4" or greater diameter steel marker extending 4' above mean ground level; permanently engrave name of well, number of the well, unit letter, section, township and range on marker.  
Mud of 9.0#/gal or greater to be placed in well between plugs.  
This work will begin approximately June 30, 1969.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED A. K. Hood TITLE District Superintendent DATE June 5, 1969

APPROVED BY [Signature] TITLE  DATE

CONDITIONS OF APPROVAL, IF ANY: