

[illegible]

Santa Fe, New Mexico

WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY
Magnolia Petroleum Company

State Bridges

OIL SANDS OR ZONES

IMPORTANT WATER SANDS

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	24#	New	867	Howee			Surface String.
5 1/2"	14#	New	4770	Howee		4692-4701 4707-4713	Oil String

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4"	8 5/8	867	550	Pump & plug		
7 7/8"	5 1/2	4770	1750	Pump & plug		

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)
(See Attached Sheet)

..Depth Cleaned Out.

ORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4770 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing June 18, 1955
OIL WELL: The production during the first 24 hours was 115 barrels of liquid of which 98 was oil; 0 % was emulsion; 0 % water; and 2 % was sediment. A.P.I. Gravity 34.2° @ 60°
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	1638	T. Devonian	T. Ojo Alamo
T. Salt	1753	T. Silurian	T. Kirtland-Fruitland
B. Salt	2728	T. Montoya	T. Farmington
T. Yates	2920	T. Simpson	T. Pictured Cliffs
T. Brown Lime	3134	T. McKee	T. Menefee
T. Queen	3878	T. Ellenburger	T. Point Lookout
T. Grayburg	4649	T. Gr. Wash	T. Mancos
T. San Andres		T. Granite	T. Dakota
T. Glorieta		T.	T. Morrison
T. Drinkard		T.	T. Penn
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn		T.	T.
T. Miss		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	628	628	Red Bed				
628	1785	1157	Red Bed & Anhydrite				
1785	2607	822	Red Bed & Gyp				
2607	2851	244	Lime, Red Bed & Gyp				
2851	3035	184	Anhydrite				
3035	3134	99	Red Bed & Anhydrite				
3134	3177	43	Anhydrite				
3177	3404	227	Anhydrite & Red Bed				
3404	3477	73	Anhydrite				
3477	3871	394	Anhydrite & Gyp				
3871	3906	35	Anhydrite				
3906	3951	45	Coring				
3951	3995	44	Anhydrite & Gyp				
3995	4028	33	Anhydrite				
4028	4061	33	Anhydrite & Gyp				
4061	4320	259	Lime & Anhydrite				
4320	4345	25	Lime				
4345	4395	50	Lime & Gyp				
4395	4426	31	Lime				
4426	4443	17	Lime & Gyp				
4443	4557	114	Lime				
4557	4770	213	Coring				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

June 22, 1955
Company or Operator Magnolia Petroleum Company Address Box 727, Kermit, Texas
Name E. H. Blundell Position or Title District Superintendent