

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☒ Private ☐ Public

5. State Oil & Gas Lease No.
E-580

7. Unit Agreement Name
Yates North Vac. ~~SA~~ Unit

8. Farm or Lease Name
-

9. Well No.
Tract 4, Well 2

10. Field and Pool, or Well, or
Vacuum GRB-SA

11. Elevation (Show whether DF, RT, GR, etc.)

12. County
Lea

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☐ GAS WELL ☐ OTHER- Waterflood Injection Well

Name of Operator
Yates Drilling Company

Address of Operator
207 South 4th Street, Artesia, New Mexico 88210

Location of Well
UNIT LETTER G 1650 FEET FROM THE East LINE AND 2310 FEET FROM

THE North LINE, SECTION 11 TOWNSHIP 17S RANGE 34E

15. Elevation (Show whether DF, RT, GR, etc.)

12. County
Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

REFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

REMEDIAL WORK ☐

ALTERING CASING ☐

TEMPORARILY ABANDON ☐

COMMENCE DRILLING OPERATIONS ☐

PLUG AND ABANDON ☐

REPAIR OR ALTER CASING ☐

CHANGE PLANS ☐

CASING TEST AND CEMENT JOB ☐

OTHER ☐

OTHER ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

A schematic is attached which shows the current condition of this well.
We propose to plug and abandon this well, as follows:

Pull tubing and packer.
Set CIBP @ 4658' in 5 1/2" csg. and place cement plug 4623'-4658'.
Place 100' cement plug 3794'-3894'.
Set CIBP @ 3869' in 5 1/2" csg. and place cement plug 3834'-3869'.
Perforate 4 holes in 5 1/2" csg. @ 1650' and squeeze 30 sxs.
Place 100' cement plug 1550'-1650' in 5 1/2" csg.
Place marker in 10 sxs. @ the surface.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED BY Jerry Sexton TITLE Engineer DATE 4-14-86

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT 1 SUPERVISOR

APPROVED BY APR 21 1986 DATE

ADDITIONS OF APPROVAL, IF ANY:

Vacuum (Gbg. S.A)	Yates Drilling Compar	4/14/86
LEASE Yates No. Vacuum S.A. Unit	WELL No. 4-2	LOCATION G-sec. 11-173-34E

Dual Completion
Injection Well

8 5/8 " casing set at 1600 ' with 100 " sx of Class C cement
Hole size 12 1/4 " Circulated

Queen Perfs: 3874-3894 / .4 SPF

5 1/2 " casing set at 4663 ' with 175 " sx of Class C cement
Hole size 7 7/8 " Top of cement calc at 3300

Open Hole 4663-4713 (San Andres)

Total Depth 4713 '

RECEIVED
APR 18 1986
C.C.D.
HOBBS OFFICE