

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

MINERAL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form 1-100
Revised 12-1-77

5a. Indicate type of well
State ☒ ☐
5. State Oil & Gas Lease No.
E-580

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT - "A" (FORM C-101) FOR SUCH PROPOSALS.)

6. Well Type ☐ OIL ☐ GAS ☐ OTHER- Waterflood Injection Well
7. Name of Operator
Yates Drilling Company
8. Address of Operator
207 South 4th Street, Artesia, New Mexico 88210
9. Name of Well
10. Unit Letter A 330 FEET FROM THE East LINE AND 990 FEET FROM
11. North SECTION 11 TOWNSHIP 17S RANGE 34E

7. Unit Agreement No.
Yates No. Vac. Unit
8. Field and Lease No.
Tract 4, Well 4
10. Field and Lease No.
Vac. GRB-SA
12. County
Lea

15. Elevation (Show whether DF, KT, GR, etc.)

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

FORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
COMPLETELY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	

Describe Proposed or Intended Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103.

A schematic diagram is attached which shows the current condition of this well.
We propose to plug and abandon this well, as follows:

Pull tubing and packer.
Place CIBP @ 4670' in 5 1/2" csg. and place cement plug 4635' to 4670'.
Perforate 4 holes @ 392' and squeeze with 30 sxs. Class "C" cement.
Place cement plug 292' to 392' in 5 1/2" csg.
Place marker in 10 sxs. @ surface.

APPROVED BY
JERRY SEXTON
DISTRICT 1 SUPERVISOR
APR 14 1986

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Engineer DATE 4-14-86

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY DISTRICT 1 SUPERVISOR TITLE _____ DATE APR 21 1986

ADDITIONS OF APPROVAL, IF ANY.

Vacuum (Gbg. S.A.) Yates Drilling Company		7/19/86	
LEASE	WELL NO.	LOCATION	
Yates No. Vacuum S.A. Unit	4-4	A-Sec. 11-17S-34E	

Injection Well

8 5/8" casing set at 342' with 150 sx of Class C cement
Hole size 12 1/4" Circulated cement.

5 1/2" casing set at 4675' with 250 sx of Class C cement
Hole size 7 7/8" Top of cement calc at 2770

Open Hole 4675-4723

Total Depth 4723'

RECEIVED
APR 18 1986
C.C.
HOBBS OFFICE