

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-02030
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name BRIDGES STATE
8. Well No. 34
9. Pool name or Wildcat VACUUM GRAYBURG (SAN ANDRES)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	
2. Name of Operator Mobil Producing Tx. & N.M. Inc.*	
3. Address of Operator *Mobil Exploration & Producing U.S. Inc., as Agent for Mobil Producing TX. & N.M. Inc., P. O. Box 633, Midland, TX 79702	
4. Well Location Unit Letter N : 660 Feet From The SOUTH Line and 1980 Feet From The WEST Line Section 14 Township 17-S Range 34-E NMPM LEA County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) KB 4042	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU PU DIG PIT FLOW WELL BACK TO P ND WH NU BOP

RIH W/ WS TO 4295 LOAD HOLE W/ 10 PPG GELLED BRINE

PUH TO 3020 PUMP 40 SX CLASS C NEAT CMT PLUG FROM 3020-2820' ACROSS SALT BASE @ 2970 POOH W/ WS

RIH W/ PERF GUN ON WIRELINE TO 1815' & PERFORATE 7" CSG POOH W/ WIRELINE & PERF GUN

RIH W/ PKR ON WS SQUEEZE 50 SX CLASS C NEAT CMT PLUG FROM 1815-1715' ACROSS SALT TOP @ 1765 PLUG MUST BE TAGGED!

POOH W/ WS & PKR RUN FREEPOINT ON 7" CSG RIH W/ WIRELINE & CUT 7" CSG @ 1850' POOH W/ WIRELINE POOH & LD 7" CSG

RIH W/ WS TO 1900' PUMP 70 SX CLASS C NEAT CMT STUB PLUG FROM 1900-771' ACROSS 7" CSG STUB @ 1850' & 10-3/4" CSG SHOE @ 821' PLUG MUST BE TAGGED!

5 PUH TO 30' SPOT 15 SX CLASS C NEAT CMT PLUG FROM 30'-SURFACE POOH W/ WS  
9 ND BOP RD PU DIG OUT CELLAR AND CUT CSG 3' BELOW SURFACE WELD STEEL PLATE ON CSG STUB. ERECT P&A MARKER WITH WELL NAME AND PLUGGED DATE. FILL CELLAR AND CLEAN SURFACE LOCATION

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kaye Pollock TITLE ENV. & REG. TECHNICIAN

TYPE OR PRINT NAME KAYE POLLOCK

DATE 09-29-93

(915)

TELEPHONE NO. 688-2584

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON  
DISTRICT I SUPERVISOR

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

DATE \_\_\_\_\_

OCT 01 1993

BRIDGES STATE # 34  
VACUUM GRAYBURG (SAN ANDRES) FIELD  
LEA COUNTY, NEW MEXICO


RECOMMENDED WORKOVER PROCEDURE

1. MIRU PU. DIG PIT. FLOW WELL BACK TO PIT. ND WH. NU BOP.
2. RIH W/ WS TO 4295'. LOAD HOLE W/ 10 PPG GELLED BRINE.
3. PUH TO 3020'. PUMP 40 SX CLASS C NEAT CMT PLUG FROM 3020-2820' ACROSS SALT BASE @ 2970'. POOH W/ WS.
4. RIH W/ PERF GUN ON WIRELINE TO 1815' & PERFORATE 7" CSG. POOH W/ WIRELINE & PERF GUN.
5. RIH W/ PKR ON WS. SQUEEZE 50 SX CLASS C NEAT CMT PLUG FROM 1815-1715' ACROSS SALT TOP @ 1765'. **PLUG MUST BE TAGGED!**
6. POOH W/ WS & PKR. RUN FREEPOINT ON 7" CSG. RIH W/ WIRELINE & CUT 7" CSG @ ±850'. POOH W/ WIRELINE. POOH & LD 7" CSG.
7. RIH W/ WS TO ±900'. PUMP 70 SX CLASS C NEAT CMT STUB PLUG FROM ±900-771' ACROSS 7" CSG STUB @ ±850' & 10-3/4" CSG SHOE @ 821'. **PLUG MUST BE TAGGED!**
8. PUH TO 30'. SPOT 15 SX CLASS C NEAT CMT PLUG FROM 30'-SURFACE. POOH W/ WS.
9. ND BOP. RD PU. DIG OUT CELLAR AND CUT CSG 3' BELOW SURFACE. WELD STEEL PLATE ON CSG STUB. ERECT P&A MARKER WITH WELL NAME AND PLUGGED DATE. FILL CELLAR AND CLEAN SURFACE LOCATION.

BRIDGES STATE  
WELL # 34  
VACUUM GRAYBURG (SAN ANDRES) FIELD  
LEA COUNTY, NEW MEXICO  
CURRENT COMPLETION

N, 14, T 17-S, R 34-E, 660' FSL, 1980' FWL

KB = 4042'  
GL = 4031'



BRIDGES STATE  
WELL # 34  
VACUUM GRAYBURG (SAN ANDRES) FIELD  
LEA COUNTY, NEW MEXICO  
PROPOSED COMPLETION

N, 14. T 17-S, R 34-E. 660' FSL, 1980' FWL

KB = 4042'

GL = 4031'

15 SX CLASS C NEAT CMT PLUG FROM 30'-SURFACE

10-3/4" 35.75# LW CSG @ 821'  
CMT'D W / 257 SX CIRC.

70 SX CLASS C NEAT CMT PLUG FROM 900-771' ACROSS  
7" CSG STUB @ +850' & CSG SHOE @ 821'  
**PLUG MUST BE TAGGED!**

50 SX CLASS C NEAT CMT PLUG FROM 1815-1715'  
**PERFED & SQZ'D ACROSS SALT TOP @ 1765'**  
**PLUG MUST BE TAGGED!**

TOC @ 2590' (CALCULATED)

40 SX CLASS C NEAT CMT PLUG FROM 3020-2820'  
ACROSS SALT BASE @ 2970'

7" 24# SL CSG @ 4390' CMT'D  
W / 247 SX

7" CIBP @ 4330 W / 35' CMT CAP'

SAN ANDRES OH FROM 4390-4705'

TD=4705'