



N

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES  
LOCATE WELL CORRECTLY

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Magnolia Petroleum CompanyBox 900, Dallas, Texas

Company or Operator

Address

State-BridgesWell No. 67NW 1/4 SW 1/4of Sec. 14T. 17S

Lease

R. 31E, N. M. P. M., Vacuum Field, Lea County.Well is 660 feet south of the North line and 660 feet west of the East line of NW 1/4 SW 1/4If State land the oil and gas lease is No. B-1520 Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_ Address \_\_\_\_\_

If Government land the permittee is \_\_\_\_\_ Address \_\_\_\_\_

The Lessee is Magnolia Petroleum Company Address Box 900, Dallas, TexasDrilling commenced June 18, 1940 Drilling was completed July 17, 1940Name of drilling contractor Magnolia Petroleum Company Address Box 900, Dallas, TexasElevation above sea level at top of casing 4051 feet.

The information given is to be kept confidential until \_\_\_\_\_ 19\_\_\_\_

## OIL SANDS OR ZONES

No. 1, from 4484 to 4491 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from 4535 to 4540 No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from 4650 to 4653 No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>10 3/4</u>				<u>823</u>					
<u>5 1/2</u>				<u>4404</u>					
<u>2 1/2</u>				<u>4739</u>					

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

## PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

	EXPLOSIVE OR			

# FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
Cellar	0	18	
13	35	Caliche	
35	260	Sand shells	
260	530	Red bed	10 3/4 csg set 814' w/ 250 & 7
530	1315	Red rock red bed	
1315	1648	Red rock sand	
1648	1760	Anhy	
1760	2907	Anhy potash & salt	
2907	3120	Anhy potash gyp	
3120	3137	Brown lime	
3137	3177	Anhy syp	
3177	3205	Anhy brown lime	
3205	3951	Anhy gyp	
3951	4327	Anhy gyp line	5 1/2" set 4389' w/ 220 & 7
4327	4370	Anhy lime	
4370	4407	Gray lime	
4407	4419	Brown lime shale	
4419	4484	Gray lime	
4484	4496	Brown lime sand	
4496	4568	Gray lime sand	
4568	4641	Gray lime	
4641	4659	Gray porous lime	
4659	4663	Porous lime	
4663	4670	Porous lime brown	2 1/2" tubing 4711' perf 4603'
4670	4724	Line satld	Packer 4326'
4724	4738	Line shale	
4738		TD	