

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

NOBBS OFFICE CCC

MISCELLANEOUS NOTICES

1955 AUG 30 PM 2:40

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Midland, Texas
(Place)

August 29, 1955
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the..... State of New Mexico "R"

The Texas Company
(Company or Operator)

Well No. 11 in M
(Unit)

SW 1/4 SW 1 of Sec. 18-S, T. 34-E, NMPM, Vacuum Pool
(40-acre Subdivision)

Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

TD: 4710'
5 1/2" casing set at 4135'

In order to squeeze off casing leaks which are occurring between 996' and 1060', we desire to run casing caliper and set bridging plug in shoe joint. We desire to perforate casing with two shots at 1065 and set drillable cement retainer at 970'. We desire to squeeze leaks and perforations with 500 sacks of cement with braden-head open to allow cement to come to the surface; the squeeze pressure not to exceed 1000 PSI. After squeezing job, we will drill out cement and retainer and test casing. We will drill out bridging plug and return well to production.

Approved..... AUG 31 1955, 19.....
Except as follows:

THE TEXAS COMPANY

Company or Operator

By.....

Position..... Asst. Dist. Supt.

Send Communications regarding well to:

Approved
OIL CONSERVATION COMMISSION

By..... C. M. Zieder

Name..... THE TEXAS COMPANY

Title.....

Address..... Box 1270, Midland, Texas