


## NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## **MISCELLANEOUS NOTICES**



Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

OTICE OF INTENTION TO TEST CASING SHUT-OFF	/	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
OTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
OTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
OTICE OF INTENTION TO DEEPEN WELL			
Dallas, Teras		8-5-50	<u>                                     </u>
		Place Date	
IL CONSERVATION COMMISSION, anta Fe, New Mexico			
entlemen:			
ollowing is a notice of intention to do certain work	k as desc	ribed below at the	
Delport Oil Corporation 8	tanoli	nå-State *A* Well No S in S	E/A of
2 0 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	56		•
Sec. 4 , T. 18 8 , R. 54 1		. м. Р. м.,	Field.
· ·			
FULL DETAILS OF	F PROF	OSED PLAN OF WORK	
FOLLOW INSTRUCTIONS IN THE I		ND REGULATIONS OF THE COMMISSION  d with 400 sacks 300 sacks on	:
Cemented 1800° of 8 5/8° 0 D 24# : bottom and 100 sacks pumped in th	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Cemented 1800° of 8 5/8° 0 D 24#	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Cemented 1800° of 8 5/8° 0 D 24# :	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Gemented 1800° of 8 5/8° 0 D 24# : bottom and 100 sacks pumped in th	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Cemented 1800° of 8 5/8° 0 D 24# : bottom and 100 sacks pumped in th	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Comented 1800° of 8 5/8° 0 D 24# : bottom and 100 sacks pumped in th	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Comented 1800° of 8 5/8° 0 D 24# : bottom and 100 sacks pumped in th	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	nd to to
Comented 1800° of 8 5/8° 0 D 24# : bottom and 100 sacks pumped in th	Lapuel.	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	nd to to
Comented 1800° of 8 5/8° 0 D 24#; bottom and 100 sacks pumped in the Will bail dry before and after dr	Lapwell rough :	d with 400 sacks 300 sacks on l* line to 350 - Cemented-circulate plug.	id to to
bottom and 100 sacks pumped in th Will bail dry before and after dr	Lapwell rough :	d with 400 sacks. 300 sacks on l" line to 350° Genented-circulate	d to to
Comented 1800° of 8 5/8° 0 D 24# ; bettem and 100 sacks pumped in th Will bail dry before and after dr	Lapwell rough :	d with 400 sacks 300 sacks on  l" line to 350 - Genented-circulate  plug.  BALPOHT CIL COMPORATION  Company or Operator  By	d to to
Comented 1800° of 8 5/8° 0 B 246 ; bettem and 100 sacks pumped in th Will bail dry before and after dr  proved	Lapwell rough :	d with 400 sacks 300 sacks on  l" line to 350 - Genented-circulate  plug.  BALPOHT CIL COMPORATION	
Comented 1800° of 8 5/8° 0 D 24# bottom and 100 sacks pumped in th Will bail dry before and after dr	Lapwell rough :	DALPOIT CIL CORPORATION  Commany or Operator  By  Position  Vice-President	1 to
bottom and 100 sacks pumped in the Will bail dry before and after drawproved	Lapwell rough :	DALPOHT OIL COMPORATION  By  Position  Position  Send communications regarding well  Position  Position  Position  Send communications regarding well	1 to