

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Sand Frac	I	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO
TEHACO Inc.
P. O. Box 352, Midland, Texas
 (Place)

July 6, 1959
 (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

TEHACO Inc., **St. N. M. "AA" NCT-2** Well No. **1** in **6**
 (Company or Operator) (Unit)
NE 1/4 NW 1/4 of Sec. 4, T. 18-S, R. 34-E, NMPM, Vacuum Pool
 (40-acre Subdivision)
Lea County.

 FULL DETAILS OF PROPOSED PLAN OF WORK
 (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

To increase production we propose to do the following work:

1. Inject a mixture of 55 gallons of Cheplex in 500 gallons of 5% Hydrochloric acid into the tubing casing annulus after pumping well down and let it remain 24 hours before pulling rods and tubing.
2. Spot 30' of graded sand from 4750' to 4720' in the open hole section.
3. Fracture the open hole section from 4394' to 4720' with 30,000 gallons of refined oil carrying one pound of sand per gallon in 3 equal stages with 1000 pounds of flaked Naphthalene between stages down 3" tubing with a hookball packer set at 4550'.
4. Recover load oil, test, and return well to production.

 Approved **July 16**, 19 **59**
 Except as follows:

 By **TEHACO Inc.**
 (Company or Operator)
 Position **Assistant District Superintendent**
 Send Communications regarding well to:

 Approved
 OIL CONSERVATION COMMISSION

 By **J. G. Blavins, Jr.**
 Title

 Name **J. G. Blavins, Jr.**
 Address **P. O. Box 352, Midland, Texas**