


## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELLS



DUPLICATE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	X		

Midland, Texas

August 6, 1946

Place

Date

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the \_\_\_\_\_  
The Texas Company's State of New Mexico "AE" Well No. 1 in the \_\_\_\_\_  
 Company or Operator Lease

NW 1/4 of NW 1/4 of Sec. 12, T. 18-S, R. 34-E, N. M. P. M.,  
Vacuum Field, Lea County.

The dates of this work were as follows: See below

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on January 3 1946  
 and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Total Depth 5194' plugged back to 4743'.

Cemented 8-5/8" casing at 825' with 300 sacks. Cemented 5-1/2" casing  
 at 4222' with 200 sacks.

(Please see attached sheet)

Witnessed by \_\_\_\_\_  
 Name Company Title

Subscribed and sworn before me this \_\_\_\_\_

I hereby swear or affirm that the information given above is true and correct.

7th day of August, 19 46Name P. J. Hallman

Elizabeth Frye Elizabeth Frye  
 Notary Public

Position Dist. Supt.Representing The Texas Company

Company or Operator

My commission expires June 1, 1947Address Box 1270, Midland, Texas

Remarks:

Rev. Yackbrough  
 Name  
Oil & Gas Inspector  
 Title



STATE OF NEW YORK  
JAMES H. HILL NO. 1

8-6-46

... total depth of 51041 and placed

This well was drilled to total depth of 5194' and plugged back to 4743' as reported on Form C-108 dated 12-27-45. Attempts to recomplete well as a commercial producer proved unsuccessful and well was salvaged, plugged and abandoned January 26, 1946, as follows:

Spotted 40-sack cement plug in bottom of well from 4743-4850', and a 2 7/8" cement plug from 4825-4950' (in the bottom of the 3 1/2" casing). Parted and pulled 1125' of 5 1/2" casing and spotted a cement plug of 60 sacks from approximately 1134 to 775' (in top of parted 5-1/2" and bottom of 8-5/8" casing). A 4" pipe marker was cemented in the top of the hole with 20 sacks of cement, leaving all 8-5/8" casing cemented in the hole.

The hole was filled with heavy mud between all above cement plugs, and all mud and cement plugs were pumped in through tubing.