


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies



AREA 640 ACRES
LOCATE WELL CORRECTLY

Sinclair Oil & Gas Company

(Company or Operator)

State Lea 697

(Lease)

Well No. 1, in NW 1/4 of SW 1/4 of Sec. 14, T. 18S, R. 34E, NMPM.

Wildcat

Pool,

Lea

County.

Well is 1980 feet from South line and 660 feet from West line

of Section 14. If State Land the Oil and Gas Lease No. is E-8429

Drilling Commenced September 24, 19... Drilling was Completed October 13, 1960

Name of Drilling Contractor Cactus Drilling Corporation

Address Box 32, Midland, Texas

Elevation above sea level at Top of Tubing Head 4007

The information given is to be kept confidential until 19...

OIL SANDS OR ZONES

No. 1, from Dry Hole to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	32	New	350				Surface casing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8	350	225	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No treatment

Result of Production Stimulation Dry Hole - Plugged and Abandoned

Depth Cleaned Out

Orig & Acc: OCC, cc: State Land Office, cc: HFD, JM, File

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 5200 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Dry Hole - Plugged & Abandoned

Put to Producing October 13, 1960

OIL WELL: The production during the first 24 hours was 0 barrels of liquid of which was oil; % was emulsion; % water; and % was sediment. API Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.		T. Devonian	T. Ojo Alamo
T. Salt		T. Silurian	T. Kirtland-Fruitland
B. Salt		T. Montoya	T. Farmington
T. Yates	3245	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	3683	T. McKee	T. Menefee
T. Queen	4423	T. Ellenburger	T. Point Lookout
T. Grayburg		T. Gr. Wash.	T. Mancos
T. San Andres	5162	T. Granite	T. Dakota
T. Glorieta		T.	T. Morrison
T. Drinkard		T.	T. Penn.
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn.		T.	T.
T. Miss.		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	900	900	Redbed				<u>DEVIATION SURVEYS</u>
900	1600	700	Redbed & Anhydrite				
1600	1855	255	Anhydrite				3/4 ● 350
1855	2785	930	Anhydrite & Salt				1/2 ● 1207
2785	3746	961	Anhydrite & Gyp				3/4 ● 1780
3746	4196	450	Anhydrite & Lime				1-3/4 ● 2395
4196	5200	1004	Lime				1/2 ● 3270
5200	Total	Depth					1 ● 4046
							1/2 ● 4370
							1/4 ● 4920

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

November 1, 1960
Company or Operator: Sinclair Oil & Gas Company Address: 520 E Broadway, Hobbs, New Mexico
Name: Dist. Supt.