

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. Oil well ☐ Gas well ☐ other ☐ Dry ☐
2. NAME OF OPERATOR
Mobil Producing TX. & N.M. Inc.
3. ADDRESS OF OPERATOR Nine Greenway Plaza,
Suite 2700, Houston, TX 77046
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL & 660' FWL, Sec. 18, T18S, R34E
AT TOP PROD. INTERVAL: Same as surface
AT TOTAL DEPTH: Same as surface

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(other)		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- (1) Perforate 4 holes at 3045', squeeze 30 sacks C cement inside and outside the 5-1/2" casing from 3045' to 2945'.
- (2) Perforate 4 holes at 1858', squeeze 63 sacks C cement inside and outside the 5-1/2" casing from 1858' to 1625'. (Tag plug).
- (3) Spot a C cement plug from 50' to surface.
- (4) Erect a P&A marker. Clean location.

Plugging procedure was discussed w/Bob Pitschke, BLM, Carlsbad.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Paula W. Collins TITLE Authorized Agent DATE 07/09/84

(This space for Federal or State office use)

APPROVED BY _____ TITLE CARLSBAD REGIONAL OFFICE DATE 11-11-84
CONDITIONS OF APPROVAL IF ANY: _____

LOCATION: L-18-185-34E
1950' F2L & 660' F2L
LEA County, New Mexico

SIGNED M. W. DEER

G.L. _____
D.F. 4000'
K.B. _____
ZERO _____

Current

— Top of Salt @ 1675'.

— 8 5/8", 24" Bro cpg set @ 1808' w/ 50sx cmt. TOC N/A.

— Base of Salt @ 2995'.

— TOC @ \pm 3760' (Calculated - 20% loss, 7 1/8" hole est.).

— Cmt Ret set @ 4290'. QN Perfs & QHZ cpg'd w/ 25sx CIC next cmt. Capped w/ 5sx CIC cmt. PE-4240.

— Queen Perfs: 4355, 57, 63, 65. 225PF. Blocks.

— 5 1/2", 14" Bro cpg set @ 4372' w/ 100sx cmt. TOC @ \pm 3760' (CALC.).

— Queen OHZ: 4372' - 4447'.


TD 4447'

LOCATION L-18-124-34E
1030' FSL & 660' FILL
Lea County, New Mexico

SIGNED M. W. DEER


G.L. _____
 D.F. 4000'
 K.B. _____
 ZERO _____

Proposed



R 34 E

T oo S



E.K. QUEEN UNIT
LEA COUNTY, N.M.

STATEMENT OF SURFACE RESTORATION INTENTION
ATTACHMENT TO USGS FORM 9-331, SUNDRY NOTICE OF INTENT TO ABANDON

Applicable To: Mobil Producing Texas & New Mexico Inc.
Nine Greenway Plaza, Suite 2700
Houston, TX 77046

Lease Name: Jones-Federal

Well No: 1

Location: 1980'FSL & 660'FWL of Sec.18, T18S, R34E

This is to advise your office that surface restoration associated with the above described proposed plugging and abandonment will be conducted in accordance with applicable rules and regulations of the United States Geological Survey and the New Mexico Oil Conservation Commission; and in accordance with any existent agreement with the surface landowner, or in a manner arrived at by agreement with the surface landowner.

Such restoration work will include:

Backfilling of all pits and cellar. Levelling or contouring the location site. Clearing the location area of junk.

FORM 9-331 Dated: 07/09/84