


Company _____

Lease _____ Well No. _____

Sec. _____ T. _____ S. R. _____ E., N.M.P.M.

Location _____

County _____ New Mexico



Scale 4" = 1 mile.


This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:
Artesia, New Mexico

Clark E. Stone
Registered Professional
Engineer and Land Surveyor.

Surveyed _____, 19____

11528 Advocate Print



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 065394
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Carper Drilling Co., Inc.

December 8, 1955

Jones

Well No. 4 is located 660 ft. from N line and 660 ft. from E line of sec. 18SW/4 SW/4
(1/4 Sec. and Sec. No.)18 S
(Twp.)34 E
(Range)NM PM
(Meridian)EK Queen
(Field)Lee
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 5988 ft. Gmd.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well to an approximate total depth of 4500' to test the Queen formation. We will run approximately 300' of 8 5/8 casing and circulate cement to the surface. We will run approximately 4500' of 5 1/2 casing and cement with 400 sax of posmix cement, 4 % Gel and 125 sax of neat cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Carper Drilling Company, Inc.Address Carper BuildingArtesia, New MexicoBy J. M. ...Title Vice-Pres.