

UNITED STATES DEPARTMENT OF THE INTERIOR TO JOO

GEOLOGICAL SURVEY

Hobbs, New Mexico 13 11 1 45

Towenber 7, 1956

Mr. Thomas J. Tivley Box 1208 Artesia, New Mexico

ler Lease Las Trices 63615

Dear Sir:

Receipt is saknowledged of "Notice of Intention to Drill" dated November 6, 1956, covering your well No. 3 Federal 19 on the subject leasehold in the SE(N) sec. 19, T. 13 S., R. 34 N., H. W. N. N. N. F-K queen Pool, Lea County, New Mexico.

four proposed work is approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised %a/ 25, 1962, copy of which will be furnished you on request, and subject to the following condition:

1. Orilling operations so authorized are subject to the attached sheet (revised Schruary 1955) for general conditions of approval.

Very truly yours.

H. A. Milant District Ingineer Commence of the commence of th

UR YED STATES DEPARTMENT OF THE INTERIOR OF

JECHOGICAL STREET

 $\frac{d}{dt} = \frac{\mathbf{r}}{2} \mathbf{r} \cdot \mathbf{v}$

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

17 (11 1 25

	Budget Bure Approval exp	au 42-R3 oires 12-31	58.3. 1-55.
Land Office	Santa	re,	H.Y.
Lease No.	LC-06:	3645	
Unit	N		

			1 1					
				BSEQUENT REPO	RT OF WATER	SHUT-OFF		
		E PLANS		BSEQUENT REPO	RT OF SHOOTI	NG OR ACIDI	ZING	
		VATER SHUT-OFF		BSEQUENT REPO	RT OF ALTERI	NG CASING		
		ILL OR REPAIR WEL		BSEQUENT REPO				1 1
		OR ACIDIZE		BSEQUENT REPO				, 1
		OR ALTER CASING ON WELL		PPLEMENTARY W				I
	(IND	ICATE ABOVE BY CH	IECK MARK NATURE		ICE OR OTHER			
						reaber	6	56
Fed	eral 19		**************************************					., 19
l No. 🕍	is lo	cated 345	ft. from S	line and	310 ft. fro	$\mathbf{m} \left\{ \mathbf{W} \right\} \mathbf{lin}$	ne of sec.	19
ura 1	9	18:	34 🖇	<u> </u>				
	and Sec. No.)	(Twp.)			(Meridian)	**	·	
			Lan County			bev a	OX100	
elevation		ck floor above	(County or Subdividual County or Subdividual	ft. WORK	f proposed cas work)	(State or Terr	•	os, cement-
e elevation	n of the derri	ck floor above to objective sand	DETAILS OF	ft. WORK s,'and lengths or tant proposed	work)	ings; indicate	mudding job	
e elevation	n of the derri	ck floor above	DETAILS OF	ft. WORK s,'and lengths or ortant proposed	work) Mate	ings; indicate	mudding job) *
e elevation to names of a	n of the derri	ck floor above to objective sanding points	DETAILS OF s; show sizes, weight, and all other impo	ft. WORK s,'and lengths or or tant proposed	miata : miioa.	ings; indicate	mudding jol 2750 2812 ta);
e elevation names of a	n of the derri	ck floor above to objective sanding points	DETAILS OF si show sizes, weight s, and all other important to size of the control of the contro	ft. F WORK Syland lengths of the proposed F TO T	Mista (mtion. run sm -1/2"	ings; indicate	mudding job of 4750 oxmin to sted be will b	ly lek to
elevation names of a propo tost 75 of	n of the derri	ck floor above to objective sanding points this this though	DETAILS OF standard and all other importants of the control of the	ft. WORK s,'and lengths of ortant proposed FOR STATE STAT	wiste (etica. run sad -1/2" h 400 i	ings; indicate	mudding job of 4750 oxmin to sted be will b	ly lek to
elevation names of a propo tost tost	n of the derri	ck floor above to objective sanding points this this though	DETAILS OF si show sizes, weight s, and all other important to size of the control of the contro	ft. WORK s,'and lengths of ortant proposed FOR STATE STAT	wiste (etica. run sad -1/2" h 400 i	ings; indicate	mudding job of 4750 oxmin to sted be will b	ly lek to
propo test 75 of he sur hrough	n of the derri	ck floor above to objective sanding points this recent to recent	DETAILS OF standard sizes, weights, and all other important to at and Penrice Caring to ion is obtained and careful to at and careful to at a control to a contro	ft. WORK s,'and lengths or ortant proposed see form sili be sine 5	miate a milon. run sad -1/2" h 600 a	ings; indicate	of 4750 exists ted be will t); ily ick to iz set ilx cem
propo test 75 of he sur hrough	n of the derri	ck floor above to objective sanding points this recent to recent	DETAILS OF standard and all other importants of the control of the	ft. WORK s,'and lengths or ortant proposed see form sili be sine 5	miate a milon. run sad -1/2" h 600 a	ings; indicate	of 4750 exists ted be will b); ily ick to iz set ilx cem
propo test 75 of he sur hrough	n of the derri	ck floor above to objective sanding points this recent to recent	DETAILS OF standard sizes, weights, and all other important to at and Penrice Caring to ion is obtained and careful to at and careful to at a control to a contro	ft. WORK s,'and lengths or ortant proposed see form sili be sine 5	miate a milon. run sad -1/2" h 600 a	ings; indicate	of 4750 exists ted be will b); ily ick to iz set ilx cem
propo test 75 of he sur 1th 45	n of the derri	ck floor above to objective sanding points this recent to recent	DETAILS OF standard sizes, weights, and all other important to at and Penrice Caring to ion is obtained and careful to at and careful to at a control to a contro	ft. WORK s,'and lengths or ortant proposed see form sili be sine 5	miate a milon. run sad -1/2" h 600 a	ings; indicate	of 4750 exists ted be will b); ily ick to iz set ilx cem
propo test 75 of he sur hrough	n of the derri	ck floor above to objective sanding points this recent to recent	DETAILS OF standard sizes, weights, and all other important to at and Penrice Caring to ion is obtained and careful to at and careful to at a control to a contro	ft. WORK s,'and lengths or ortant proposed see form sili be sine 5	miate a milon. run sad -1/2" h 600 a	ings; indicate	of 4750 exists ted be will b); ily ick to iz set ilx cem
propo test 78 of he sur hrough ith 45	n of the derri	ck floor above to objective sanding points this remains product ton rones 125 sen	DETAILS OF standard sizes, weights, and all other important to at and Penrice Caring to ion is obtained and careful to at and careful to at a control to a contro	ft. WORK s, and lengths of ortant proposed iii be iiii be iiii be	miate de tion. run and -1/27 de 400 de	ings; indicate Spyro Comes Saling Sacks Comes	e mudding job of 4760 oxmin to sted be will b	ly lok to le set lix Cem
proposition of a proposition of the surface of the	n of the derri	ck floor above to objective sanding points this rusen. The rocket to rocket to be use	DETAILS OF at show sizes, weights, and all other important to at and learning to the caring to the c	ft. WORK s, and lengths of ortant proposed iii be iiii be iiii be	miate de tion. run and -1/27 de 400 de	ings; indicate Spyro Comes Saling Sacks Comes	e mudding job of 4760 oxmin to sted be will b	ly lok to le set lix Cem
e elevation names of a propo test test	n of the derri	ck floor above to objective sanding points this reach product ton rones 1 185 sek	DETAILS OF at show sizes, weights, and all other important to at and learning to the caring to the c	ft. WORK s, and lengths of ortant proposed iii be iiii be iiii be	miate de tion. run and -1/27 de 400 de 600	ings; indicate Spyro Comes Saling Sacks Comes	e mudding job of 4760 oxmin to sted be will b	ly lok to le set lix Cem
elevation names of a propo test 75 of he sur hrough ith 45 otery	n of the derri	ck floor above to objective sanding points this ruces to be received to be use	DETAILS OF at show sizes, weights, and all other important to at and learning to the caring to the c	ft. WORK s, and lengths of ortant proposed iii be iiii be iiii be	miate de tion. run and -1/27 de 400 de 600	ings; indicate Spyro Comes Saling Sacks Comes	e mudding job of 4760 oxmin to sted be will b	ly lok to le set lix Cem

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Well Location and/orugand no factor blat Date Nov. 5, 1956 T. J. SIVLEY Operator 19 348 Well No. Section Township Range **NMPM** Line, 2310 343 Located Feet From Feet From Line, County, New Mexico. G. L. Elevation Name of Producing Formation with Pool Dedicated Acreage (Note: All distances must be from outer boundaries of Section) U. S. ^--HOLL STEXIS NOTE This section of form is to be used for gas wells only. SCALE: 1"=1000' 1. Is this Well a Dual Comp. ? Yes This is to certify that the above plat was prepared from field notes of actual surveys If the answer to Question 1 is yes, are there made by me or under my supervision and any other dually completed wells within the that the same are true and correct to the dedicated acreage? Yes No . best of my knowledge and belief. Name Date Surveyed 5. 1956 Position. Representing Registered Professional Engineer and/or Address Land Surveyor 12 124 L