Address of Operator 410 WEST OHIO, MIDLAND, TEXAS 4. Location of Well UNIT LETTER L 330 FEET FROM THE N LINE AND 330 FEET FROM THE W LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 4073 DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ALTERING	Fee K Gas Lease No. Gas Lease No. Pent Name See Name ER CATTLE Co.	Supersedes C C-102 and C- Effective 1-1- 5a. Indicate Type State		OIL CONSERVATION	NEW MEXICO	DISTRIBUTION ITA FE E .G.S.
NEW MEXICO OIL CONSERVATION, COMMISSION Comparison	Fee K Gas Lease No. Gas Lease No. Pent Name See Name ER CATTLE Co.	C-102 and C- Effective 1-1- 5a. Indicate Type State 5. State Oil & Ge		OIL CONSERVATION	NEW MEXICO	ITA FE E .G.S.
U.S. G.S. LAND OFFICE DPERATOR SUNDRY NOTICES AND REPORTS ON WELLS TOO NOT USE THIS FORM FOR PROPOSALS TO SPECIAL ON TO SEE FEEL OF THE BACK TO A DIFFERENT RESERVOIR. OIL	Fee. K Gas Lease No. Bas Lease No. Ent Name se Name tr Cattle Co.	5a. Indicate Type State 5. State Oil & Ge		OIL CONSERVATION	NEW MEXICO	E .G.S.
AND OFFICE SUNDRY NOTICES AND REPORTS ON WELLS State Substitution Sundant Notice	Fee. A Gas Lease No. Bent Name See Name ER CATTLE Co.	State 5. State Oil & Go		5011. 2		.G.S.
AND OFFICE SUNDRY NOTICES AND REPORTS ON WELLS State S. Sta	Fee. A Gas Lease No. Bent Name See Name ER CATTLE Co.	State 5. State Oil & Go				
SUNDRY NOTICES AND REPORTS ON WELLS IDD NOT USE THIS FORM FOR PROCESSED TO BRILL FOR POSSESSED OF PART OF STATES OF PART ASSESSED. OIL WELL X ASSESSED OF PART ASSESSED OF PART OF PART ASSESSED OF PART OF PART ASSESSED OF PART OF	ent Name se Name tr Cattle Co.	5. State Oil & G	NT RESERVOIR.			UD OFFICE
DUDLY NOTICES AND REPORTS ON WELLS IDO NOT USE THIS FORM FOR MERCIALS TO SHILL ME TO SEREES OF PLUE BACK TO A DIFFERENT RESERVOIR. OIL SAND OF SHILL ME TO SHILL ME TO SHEEFE OF PLUE BACK TO A DIFFERENT RESERVOIR. 7. User MAPPLICATION FOR PERMIT — "IFORM C-1011 FOR SUCH PROPOSALS.1 7. User APPLICATION FOR PERMIT — "IFORM C-1011 FOR SUCH PROPOSALS.1 7. User APPLICATION FOR PERMIT — "IFORM C-1011 FOR SUCH PROPOSALS.1 7. User APPLICATION FOR PERMIT — "IFORM C-1011 FOR SUCH PROPOSALS.1 7. User AND SCHARBAUER (** 9. Well No. 10. Field and Pool, the Line and 330 FEET FROM 11. Field and Pool, the Line and 330 FEET FROM 12. COUNTY LEAR 13. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK AND ABANDON AND THE SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK AND ABANDON AND ABANDO	ent Name se Name ER CATTLE Co.		INT RESERVOIR.			AD OFFICE
OTHER. OTHER. OTHER. Name of Operator JOSEPH I. O'NEILL, JR. Address of Operator 410 WEST OHIO, MIDLAND, TEXAS Location of Well UNIT LETTER L. 330 FEET FROM THE N LINE AND 330 FEET FROM THE N LINE AND 34 MAPPIN. I.S. Elevation (Show whether DF, RT, GR, etc.) 4073'DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK NOTHER CASING COMMENCE DRILLING OPNS. CHANGE PLANS COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AN ADOUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 100 SACK CEMENT PLUG AT 235'.	se Name ER CATTLE Co.	7. Unit Agreemen	NT RESERVOIR.			ERATOR
OTHER. OTHER. OTHER. Name of Operator JOSEPH I. O'NEILL, JR. Address of Operator 410 WEST OHIO, MIDLAND, TEXAS Location of Well UNIT LETTER L. 330 FEET FROM THE N LINE AND 330 FEET FROM THE N LINE AND 34 MAPPIN. I.S. Elevation (Show whether DF, RT, GR, etc.) 4073'DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK NOTHER CASING COMMENCE DRILLING OPNS. CHANGE PLANS COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AN ADOUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 100 SACK CEMENT PLUG AT 235'.	se Name ER CATTLE Co.	7. Unit Agreeme	NT RESERVOIR			
Name of Operator JOSEPH 1. O'NEILL, JR. Address of Operator 410 WEST OHIO, MIDLAND, TEXAS Location of Well OHIT LETTER W LINE, SECTION 15. Elevation (Show whether DF, RT, GR, etc.) Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PREFORM REMEDIAL WORK CHANGE PLANS CASING TEST ARE CEMENT JUB OTHER WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AN ADOUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 100 PACK CEMENT JUB AT 235'. SET 100 SACK CEMENT PLUG AT 235'.	se Name ER CATTLE Co.	7. Unit Agreeme:		ORTS ON WELLS N OR PLUG BACK TO A DIF 01) FOR SUCH PROPOSALS	DRY NOTICES AND REF	SUND (DO NOT USE THIS FORM FOR PF USE "APPLICA
Name of Operator JOSEPH 1. O'NEILL, JR. Address of Operator 410 WEST OHIO, MIDLAND, TEXAS Location of Well UNIT LETTER L 330 FEET FROM THE N LINE AND 330 FEET FROM THE W LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NAME 12. County AO73'DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PLUG AND ABANDON X CHANGE PLANS OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of state work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 100 PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. SET 100 SACK CEMENT PLUG AT 2355'.	1	l .			OTHER.	OIL GAS
Address of Operator 410 WEST OHIO, MIDLAND, TEXAS Location of Well UNIT LETTER L 330 FEET FROM THE N LINE AND 330 FEET FROM THE W LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. LINE AND 34 NMPM. LINE AND 350 FEET FROM LINE AND ADDRESS OF THE NAME A	1	-				ame of Operator
410 WEST OHIO, MIDLAND, TEXAS Location of Well UNIT LETTER L 330 FEET FROM THE N LINE AND 330 FEET FROM THE W LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 4073 DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK SUBSEQUENT REPORT OF: TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OFNS. CASING TEST AND CEMENT JUB OTHER OTHER 7. DESCRIBE Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of state work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 3ACK CEMENT PLUG AT 235'.					LL, JR.	
THE W LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 4073 DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK DITENTION TO: PERFORM REMEDIAL WORK COMMENCE DRILLING OPNS. CHANGE PLANS CHANGE PLANS OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of state work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 5½" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 100 SACK CEMENT PLUG AT 235'.	Pool, or Wildcat				MIDLAND, TEXAS	
THE W LINE, SECTION 20 TOWNSHIP 18 RANGE 34 NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 4073 DF Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PLUG AND ABANDON X REMEDIAL WORK COMMENCE DRILLING OPNS. CHANGE PLANS CASING TEST AND CEMENT JUB OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of state work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566 PBTD 4563' SET 100' PLUG AND OUT OF 5½" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 100 SACK CEMENT PLUG AT 235'.		1				ocation of Well
There are the plan to plug this well as follows: T.D. 4566' PBTD 4563' SET 100' Plug in And out of 5½" Casing where it will be shot off. Top cement 3350'. Set 100 sack cement plug at 235'.	EENS	E-K QUE	330 FEET FROM	N LINE AND	330 FEET FROM THE	UNIT LETTER
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PLUG AND ABANDON PLUG AND ABANDON CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.			34 NMPM.	18RANG	20 Towns	THE LINE, SECT
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of state work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.	.,(((((((((((((((((((((((((((((((((((((12. County	o.)	now whether DF, RT, GR	15. Elevation (S	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PLUG AND ABANDON CHANGE PLANS CASING TEST AND CEMENT JOB OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of stan work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.	VIIIIIII	LEA		4073'DF		
COMMENCE DRILLING OPNS. CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS CASING TEST AND CEMENT JOB OTHER OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of stan work) SEE RULE'1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.	- ;			ndicate Nature of		
COMMENCE DRILLING OPNS. CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS CASING TEST AND CEMENT JOB OTHER OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of stan work) SEE RULE'1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.			[- -]			
CHANGE PLANS CH	-		<u></u>		PLUG AND	FORM REMEDIAL WORK
OTHER OTHER OTHER 7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of star work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.	S AND ABANDONMENT	PLUG	 1			APORARILY ABANDON
7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of stan work) SEE RULE'1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.			<u> </u>	<u> </u>	CHANGE PL	L OR ALTER CASING
7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of star work) SEE RULE 1103. WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.		<u> </u>		OTHER.		
WE PLAN TO PLUG THIS WELL AS FOLLOWS: T.D. 4566' PBTD 4563' SET 100' PLUG AT 4449'-4563' - PERF 4449'-59'. SET 100' PLUG IN AND OUT OF 52" CASING WHERE IT WILL BE SHOT OFF. TOP CEMENT 3350'. SET 10 SACK CEMENT PLUG AT 235'.						OTHER
		OT OFF.	E IT WILL BE SI	3' - PERF 4449' 5 52" CASING WH	66' PBTD 4563' PLUG AT 4449'-456 PLUG IN AND OUT GENT 3350'. BACK CEMENT PLUG AT	T.D. 4566 SET 100' SET 100' Top cemen Set 10 sa
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE PRODUCTION CLERK DATE 16						

APPROVED BY ___

CONDITIONS OF APPROVAL, IF ANY:

NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Form C-110 Revised 7/1/55

(File the original and 4 copies with the appropriate district office)

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Company or Ope	rator Jo	seph I. 0	'Neill,	Jr.		Lease_Sc	charbauer Cattle C
Well No. 1							
County Lea		Kind of	Lease	(State	, Fed.	or Patented	Patented
If well produces	oil or conder	 nsate, giv	e locat	tion of	tanks;	Unit_D S_	20 T 18 R 34
Authorized Tran							
Address Bo							
(Giv	ve address to	which ap	proved	copy o	of this	form is to be	e sent)
Authorized Tran	asporter of Ga	as None	- Flat	red			
Address	ve address to						
If Gas is not bei			and als	so expi	ain its	s present disp	osition:
No gas br	pe line in ar	34.					
						± 0.175 gg - qu - 25 da q	· ·
Reasons for Fil	ing:(Please cl	neck prop	er box) N	ew We	<u></u>	
) Condensate ()
Change in Owne Remarks:	rship		()	Othe	er		()
Remarks:						Give explana	tion below)
Former	transporter C	ities Ser	vice Oi	1 Co. (Trucks	s)	
Effecti	ve date of ch	ang e Jun e	2, 195	7			
The undersigned mission have be			es and	Regula	itions	of the Oil Co	nservation Com-
Executed this th	e 20th day o	f June		1957			<u></u>
				Ву	7	C. L. F.	lyk
Approved			19	Тi	tle	Production	Clerk
OIL CONS	ERVATION C	OMMISS	ON	Co	mpany	y Joseph I. C	'Neill, Jr.
Ву	4-14	hen .		Ad	ldress	410 W. Ohio)
Title						Midland, Te	2X8