

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Continental Oil Company

State V-22

Well No. 1, in SE SW 22 183 34E  
East X-Queen Pool, Lea County.  
Well is 330 feet from South line and 1980 feet from West line  
of Section 22. If State Land the Oil and Gas Lease No. is E 2519  
Drilling Commenced 7-2-60, 1960. Drilling was Completed 7-21, 1960  
Name of Drilling Contractor Dexter Drilling Company  
Address 1117 City National Bldg., Wichita Falls, Texas  
Elevation above sea level at Top of Tubing Head 3999  
The information given is to be kept confidential until 1960

OIL SANDS OR ZONES

No. 1, from 4562 to 4576  
No. 2, from to  
No. 3, from to  
No. 4, from to  
No. 5, from to  
No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24	New	444'	Guide Shoe			
5 1/2	14	New	4673'	Guide Shoe and Float Collar			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11	8 5/8	451	225	Pump & Plug		
7 7/8	5 1/2	4635	1550	" "		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 5 1/2" casing 4562-74. Treated with 15,000 gals lease crude 15,000 lbs. sd, 750 lbs "Adomite".

Result of Production Stimulation IP flowed 104 bbls 33 degree gravity oil no water in 12 hours thru 30/64" choke, TP 25-80%, CP Packoff, with 229 MCFGPD, GOR 1101

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4705 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 7-21 12 60, 19  
OIL WELL: The production during the first 24 hours was 104 barrels of liquid of which 100 % was  
was oil; 0 % was emulsion; 0 % water; and 0 % was sediment. A.P.I.  
Gravity 33 Degrees

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	1903	T. Devonian	T. Ojo Alamo
T. Salt.	3133	T. Silurian	T. Kirtland-Fruitland
B. Salt.	3298	T. Montoya	T. Farmington
T. Yates.	3765	T. Simpson	T. Pictured Cliffs
T. 7 Rivers.	4540	T. McKee	T. Menefee
T. Queen.		T. Ellenburger	T. Point Lookout
T. Grayburg		T. Gr. Wash	T. Mancos
T. San Andres		T. Granite	T. Dakota
T. Glorieta		T.	T. Morrison
T. Drinkard		T.	T. Penn.
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn.		T.	T.
T. Miss		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1792	1792	Redbeds				
1792	1908	116	Anhydrite				
1908	2956	1048	Salt				
2956	2976	20	Anhydrite				
2976	3133	157	Salt				
3133	3298	165	Shaly Anhydrite				
3298	3765	467	Anhydrite, sh, sm sd				
3765	4532	767	Shaly & anhyo. dolo				
4532	4605	73	Red Shaly sd				
4605	4705	100	Anhydritic dolo				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far  
as can be determined from available records.

9-26-60  
Company or Operator Continental Oil Company Address Newley Building, Artesia, N. M.  
Name C. H. Hesser Position District Superintendent