

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P. O. Box 1980, Hobbs, NM 88240

DISTRICT II
P. O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P. O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-03044
5. Indicate Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE
6. State Oil & Gas Lease No. B-2073
7. Lease Name or Unit Agreement Name Vacuum Abo Unit <i>Box 2 Tr 13</i>
8. Well No. <i>Box 13 Tr 2</i> 2
9. Pool name or Wildcat Vacuum Abo Reef

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK
TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator Phillips Petroleum Company
3. Address of Operator 4001 Penbrook Street, Odessa, Texas 79762	4. Well Location Unit Letter <u>E</u> : <u>1980</u> Feet From The <u>north</u> Line and <u>660</u> Feet From The <u>west</u> Line Section <u>4</u> Township <u>18-S</u> Range <u>35-E</u> NMPM Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3947' GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER: ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

10-27 thru

11-02-88: 8882' PTD. MI & RU DDU. COOH with rods and pump, installed BOP. Cleaned out to 8882'.

11-03-88: Perf'd 5-1/2" casing with 4" OD casing guns 2 JSPF from 8489'-8629' (61' - 123 shots). Set CIBP at 8639'. Acidized perfs 8322'-8629' with 9300 gals 15% NEFE HCL containing corrosion inhibitor. Frac'd perfs w/ 11,950 gals 15% FE HCL containing corrosion and scale inhibitor; 27,900 gals CO₂ w/30# gelled crosslinked 10# brine water and rock salt.

SEE REVERSE SIDE

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *L M Sanders*
TYPE OR PRINT NAME L. M. Sanders

TITLE Regulation & Proration DATE 3-01-89
Supervisor
TELEPHONE NO. 915/367-1488

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY _____

TITLE _____

DATE MAR 3 1989

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

MAR 2 1988

OCD
HOBBS OFFICE

11-17 thru
12-10-88: Knocked CIBF to 8882'. Swbd back load. Ran 2-7/8" and 2-3/8"
tubing, SN at 8742', anchor at 8267'. Set 2" x 1 1/2" x 22' pump.
12-11 thru
12-13-88: Pmpd 72 hrs, 14.92 BO, 461 BW, .200 MCF.