

IL CONSERVATION DIVISIC

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-77

NO. OF COPIES RECEIVED	
C. STR. BUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease

State ☒Fee ☐

5. State Oil & Gas Lease No.

B-1306

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name Central Vacuum Unit
2. Name of Operator Texaco Producing Inc.	8. Farm or Lease Name
3. Address of Operator P. O. Box 728, Hobbs, NM 88240	9. Well No. 103
4. Location of Well UNIT LETTER <u>G</u> <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>6</u> TOWNSHIP <u>18S</u> RANGE <u>35E</u> NMPM.	10. Field and Pool, or Wildcat Vacuum Grayburg San And
15. Elevation (Show whether DF, RT, GR, etc.) 3973' DF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☒PLUG AND ABANDON ☐REMEDIAL WORK ☐ALTERING CASING ☐TEMPORARILY ABANDON ☐COMMENCE DRILLING OPNS. ☐PLUG AND ABANDONMENT ☐PULL OR ALTER CASING ☐CHANGE PLANS ☐CASING TEST AND CEMENT JOB ☐OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) Rig up pulling Unit. Pull rods and pump. Install BOP.
- 2) TOH w/ 2 7/8" tubing.
- 3) TIH w/ 4 3/4" bit on 2 7/8" workstring and clean out to 4710'.
- 4) Circulate clean. Spot 600 lob. ammonium bicarbonate, mixed 1 ppg with fresh water, across open hole.
- 5) TOH w/bit. Let soak overnight.
- 6) TIH w/pkr and 550' tailpipe on 2 7/8" workstring. Set pkr at + 3700'. Load backside with produced water.
- 7) Acidize open hole 4070'-4710' with 9000 gal. 15% gelled NEFE (containing 1 drum Unichem TH 756) at 3-4 BPM. (Max. TP 4000#) as follows:
 - A. Establish rate with produced water.
 - B. Pump 1800 gal. acid.
 - C. Pump + 400 lb. rock salt and 400 lb moth balls in 800 gal. gelled brine.
 - D. Pump 2400 gal. acid.
 - E. Repeat C. Varying amt of block as needed.
 - F. Pump 2400 gal acid.
 - G. Repeat E.
 - H. Pump 2400 gal acid.
 - I. Flush w/40 bbls. produced water.
- 8) Release pkr and TOH laying down workstring and pkr.
- 9) TIH w/tbg., rods, and pump and return to production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED

W. B. Cook

TITLE Dist. Oper. MGr.

DATE 02/14/86

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY DISTRICT SUPERVISOR

TITLE

DATE

FEB 21 1986

CONDITIONS OF APPROVAL, IF ANY: