


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Sinclair Oil and Gas Company State Lea 401  
(Company or Operator)  
Well No. 1 in SW 17 18S (Lease) R 35E  
Undesignated Lea  
660 South Pool, 660 West County.  
Well is 17 feet from line and 660 feet from line  
of Section 17. If State Land the Oil and Gas Lease No. is 56  
Drilling Commenced March 31, 1956 Drilling was Completed May 1, 1956  
Name of Drilling Contractor Sabre Drilling Company  
Address Midland, Texas  
Elevation above sea level at Top of Tubing Head 3948 The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8	48	N	312				
9 5/8	36 & 32	N	3098	BAKER	778		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13 3/8	315	350	Halliburton		
12 1/4	9 5/8	3099	700	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No oil was recovered and well was not treated. Recovered 60' of drilling mud and 570 salt water on DST #4, well was plugged and Abandoned June 3, 1956

Result of Production Stimulation.

Depth Cleaned Out.

Orig: & 4cc: OCC  
cc: FHR, HFD, HAM, JKL, File

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

### TOOLS USED

Rotary tools were used from Surface feet to 5305 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

### PRODUCTION

Put to Producing Plugged & Abandoned 6/3, 19 56

OIL WELL: The production during the first 24 hours was None barrels of liquid of which \_\_\_\_\_% was  
was oil; \_\_\_\_\_% was emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% was sediment. A.P.I.  
Gravity \_\_\_\_\_

GAS WELL: The production during the first 24 hours was \_\_\_\_\_ M.C.F. plus \_\_\_\_\_ barrels of  
liquid Hydrocarbon. Shut in Pressure \_\_\_\_\_ lbs.

Length of Time Shut in \_\_\_\_\_

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy. <u>1761</u>	T. Devonian _____	T. Ojo Alamo _____	
T. Salt. <u>1837</u>	T. Silurian _____	T. Kirtland-Fruitland _____	
B. Salt. <u>3095</u>	T. Montoya _____	T. Farmington _____	
T. Yates. <u>3190</u>	T. Simpson _____	T. Pictured Cliffs _____	
T. 7 Rivers _____	T. McKee _____	T. Menefee _____	
T. Queen. <u>4378</u>	T. Ellenburger _____	T. Point Lookout _____	
T. Grayburg _____	T. Gr. Wash _____	T. Mancos _____	
T. San Andres. <u>5096</u>	T. Granite _____	T. Dakota _____	
T. Glorieta _____	T. _____	T. Morrison _____	
T. Drinkard _____	T. _____	T. Penn. _____	
T. Tubbs _____	T. _____	T. _____	
T. Abo _____	T. _____	T. _____	
T. Penn _____	T. _____	T. _____	
T. Miss _____	T. _____	T. _____	

### FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
Surface	316	316	Red bed	4511	4899	388	dole
316	1061	745	Red bed and shale	4899	4964	65	Anhy & Sand
1061	1465	404	Red, shale & anhy	4964	5073	109	Anhy & dole
1465	1559	94	Red bed & gyp	5073	5098	25	Anhy, dole & sand
1559	1766	207	Red bed & anhy	5098	5172	74	Dole
1766	1864	98	Shale & gyp	5172	5305	133	Dole & Sand
1864	1911	47	Shale, gyp & anhy	5305			T.D.
1911	2051	140	gyp & salt				
2051	3030	979	Salt & anhy				
3030	3100	70	Anhy				
3100	3190	90	Anhy & salt				
3190	3619	489	Sand & anhy				
3619	4278	659	Anhy & dole				
4278	4314	36	Anhy dole & sand				
4314	4416	102	Anhy & dole				
4416	4487	71	Anhy, dole & Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Hobbs, New Mexico 6/18/56

Company or Operator Sinclair Oil and Gas Company Address 520 E. Broadway (Date)  
Name C.C. Salters Position or Title Dist. Supt