

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
<b>B-1482-1</b>

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <b>Salt Water Disposal</b>	7. Unit Agreement Name
2. Name of Operator <b>Union Oil Company of California</b>	8. Farm or Lease Name <b>Lea State "I"</b>
3. Address of Operator <b>P.O. Box 671 Midland, Texas 79701</b>	9. Well No. <b>1-36</b>
4. Location of Well UNIT LETTER <b>M</b> , <b>997</b> FEET FROM THE <b>South</b> LINE AND <b>330</b> FEET FROM THE <b>West</b> LINE, SECTION <b>36</b> TOWNSHIP <b>18-S</b> RANGE <b>35-E</b> N.M.P.M.	10. Field and Pool, or Wildcat <b>South Vacuum Disposal Sys</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3854' SCF</b>	12. County <b>LEA</b>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spotted 100 Sx Cement Plug 10,250-11,950' 8.8 P.P.G. Mud  
Spotted 100 Sx Cement Plug 7,655-10,250' Using 8.8 P.P.G. Mud  
Squeezed interval 3800-5400' Using 300 Sx Cement displaced with Mud  
Spotted 75 Sx Cement Plug 3600-2070' Using 8.8 P.P .G. Mud  
Spotted 200 Sx Cement Plug 620' To Surface  
Cut off Well head, Installed dry hole Marker, Well P&A 4-5-71  
Casing left in Hole.

11-3/4" -350' Cement Circulated  
8-5/8" - 3801' Cement Circulated

Verval approval for above procedure obtained from Mr. Joe Ramey

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>J.L. White</u> J.L. White	TITLE <u>Drilling Foreman</u>	DATE <u>4-7-71</u>
APPROVED BY <u>John W. Runyan</u>	TITLE <u>Geologist</u>	DATE <u>JUL 19 1971</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

APR 6 1971

OIL CONSERVATION COM.  
HOUSTON, TEX.

6/2/71