

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	X	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

November 17, 1958
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the New Mexico State "N"

Texas Pacific Coal & Oil Co., & The Pure Oil Company Well No. 1 in B
(Company or Operator) (Unit)

NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 29, T. 18S, R. 36E, NMPM, Arkansas Junction Devonian Pool
(40-acre Subdivision)

Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Cement plugs will be placed as listed below:

Devonian	12,060' - 12,180' (20')	40 sxs.
Strawn	10,410' - 10,430' (20')	20 sxs.
Bone Spring	7,900' - 7,950' (50')	50 sxs.
Clear Fork	6,100' - 6,150' (50')	50 sxs.
Intermediate		
Casing	4,730' - 4,759 (29')	29 sxs.
Surface Cap		10 sxs.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

Texas Pacific Coal & Oil Company
Company or Operator

By.....

Position.....
Send Communications regarding well to:

Name Texas Pacific Coal & Oil Company

Address P. O. Box 1688, Hobbs, New Mexico

STATE "Y", WELL 1

DST #1

5,480' - 5,685' (205') Tool open 1 hr. 30 mins. Fair blow throughout test. Recovered 20' slightly gas cut mud.

20 min ISIP - 165 IFP - 150 IHH - 2740

20 min FSIP - 165 FFP - 150 FHH - 2740

DST #2

6,270' - 6,420' (850') Tool open 3 hrs. Weak blow throughout test. Recovered 540' drilling mud and 20' of salt water.

30 min ISIP - 2,388 IFP - 54 IHH - 2740

30 min FSIP - 1,850 FFP - 280 FHH - 2740

DST #3

8,150' - 8,304' (154') Tool open 2 hrs. No blow. Recovered 10' drilling mud.

30 min ISIP - 93 IFP - 93 IHH - 3854

30 min FSIP - 98 FFP - 98 FHH - 3837

DST #4

10,830' - 10,885' (55') Tool open 2 hrs. No blow. Recovered 5' drilling mud.

30 min ISIP - 57 IFP - 340 IHH - 4990

30 min FSIP - 355 FFP - 340 FHH - 4990

DST #5

12,055' - 12,134' (79'). Tool open 2 hrs. Opened with strong blow; died in 45 mins. Recovered 1,100' sulfur water cut drilling mud and 900' sulphur water.

ISIP - No IFP - 1,320 IHH - 5,620

45 min FSIP - 5,000 FFP - 2,440 FHH - 5,580

DST #6

12,135' - 12,164' (29') Tool open 3 hrs. Strong blow decreasing to moderate at end of test. Recovered 9,100' slightly salty sulphur water.

30 min ISIP - 4,940	IFP - 2,160	IHH - 5,800
30 min FSIP - 4,960	FFP - 4,100	FHH - 5,800