



NEW MEXICO OIL CONSERVATION COMMISSION

NOBBS OFFICE Santa Fe, New Mexico

1988 OCT 11 PM 2:14

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Amerada Petroleum Corporation
(Company or Operator)

State WM NEW
(Lease)

Well No. 1, in SE 1/4 of NW 1/4, of Sec. 31, T 18-S, R 37-E, NMPM.

Undesignated

Pool, Lea

County.

Well is 1980 feet from North line and 1980 feet from West line

of Section 31. If State Land the Oil and Gas Lease No. is B-1431

Drilling Commenced April 12, 1956 Drilling was Completed May 1, 1956

Name of Drilling Contractor McQueen & Stout Drilling Company

Address 1601 West Texas St., Midland, Texas

Elevation above sea level at Top of Tubing Head 3740 The information given is to be kept confidential until

Not Confidential, 19

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24#	New	302'	Float			
5-1/2"	15.5#	New	3950'	Guide			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	8-5/8"	302'	300	Halliburton		
7-7/8"	5-1/2"	3950'	150	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Open hole from 3950' to 4050' - Acidized w/1000 gals. 15% IST Acid & Sand-Oil w/20,000 gals. refined oil & 20,000# sand. Perforations 3845' to 3885' - Acidized w/500 gals. 15% IST acid & Sand-Oil w/20,000 gals. refined oil & 25,000# sand. Perforations 3895' to 3938' - Acidized w/500 gals. 15% IST acid. Perforations 3845' to 3885' & 3895' to 3938' - Sand-oil w/20,000 gals. refined oil & 25,000# sand. Perforations 3030' to 3065' - Acidized w/500 gals. 15% IST acid & Sand-Oil w/20,000 gals. refined oil & 20,000# sand.

Result of Production Stimulation None - Well temporarily abandoned.

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or formation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0' to 4050' feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing **Temporarily Abandoned** 19__

OIL WELL: The production during the first 24 hours was _____ barrels of liquid of which _____ % was
 was oil; _____ % was emulsion _____ % was water and _____ % was sediment. A.P.I.
 Gravity _____

GAS WELL: The production during the first 24 hours was _____ M.C.F. of _____ barrels of
 liquid Hydrocarbon. Shut in Pressure _____

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	1490'		T. Devonian		T. Ojo Alamo
T. Salt	1588'		T. Silurian		T. Kirtland-Fruitland
B. Salt	2633'		T. Montoya		T. Farmington
T. Yates	2781'		T. Simpson		T. Pictured Cliffs
T. 7 Rivers	3030'		T. McKee		T. Menefee
T. Quartz Stuart	3576'		T. Ellenburger		T. Point Lookout
T. Quartz Penrose	3830'		T. Gr. Wash.		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T. _____		T. Morrison
T. Drinkard			T. _____		T. Penn.
T. Tubbs			T. _____		T. _____
T. Abo			T. _____		T. _____
T. Penn.			T. _____		T. _____
T. Miss.			T. _____		T. _____

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	Thickness in Feet	Formation
0'	37'	37'	Caliche			
37'	305'	268'	Caliche & Red Bed			
305'	1455'	1150'	Red Bed & Shale			
1455'	1906'	451'	Anhydrite			
1906'	2685'	779'	Anhydrite & Salt			
2685'	3496'	811'	Anhydrite			
3496'	3776'	280'	Anhydrite & Lime			
3776'	4050'	274'	Lime			

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

October 11, 1936

(Date)

Company or Operator **Amrad Petroleum Corporation** Address **Drawer D, Monument, New Mexico**
 Name **W. C. ...** Title **District Superintendent**