

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
B-1713	

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>		
1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Morris R. Antweil		8. Farm or Lease Name
3. Address of Operator Box 2010, Hobbs, New Mexico 88240		9. Well No.
4. Location of Well UNIT LETTER N 660 FEET FROM THE South LINE AND 1980 FEET FROM West 31 18-S 37-E THE LINE, SECTION TOWNSHIP RANGE NMPM.		10. Field and Pool, or Wildcat
		Eumont
15. Elevation (Show whether DF, RT, GR, etc.) 3744' DF		12. County
		Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to plug and abandon as follows:

1. Spot 25 sx. cement plug across perfs. 3928'-3956'.
2. Load hole with mud-laden fluid.
3. Cut and pull an estimated 1100' 7" casing.
4. Spot 25 sx. cement plug across 7" casing stub. If casing is recovered below top of salt @ 1575', an additional 25 sx. cement plug to be spotted across top of salt.
5. Spot 25 sx. cement plug across 10-3/4" casing shoe @ 300'.
6. Spot 10 sx. surface plug w/marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>R M Williams</u>	TITLE <u>Agent</u>	DATE <u>April 3, 1970</u>
APPROVED BY <u>Leslie A. Clemente</u>	TITLE _____	DATE _____
CONDITIONS OF APPROVAL, IF ANY:		