


## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

GORDON M. CONE Box 957 Lovington, New Mexico  
Company or Operator Address  
Superior State Well No. 1 in 18 S of Sec. 30, T. 18 S  
Lease  
R. 37 E, N. M. P. M., Wild Cat Field, Lea County.  
Well is 3300 feet south of the North line and 3300 feet west of the East line of Section 30-18 S-37 E  
If State land the oil and gas lease is No. B-1115 Assignment No. 2  
If patented land the owner is , Address  
If Government land the permittee is , Address  
The Lessee is Gordon M. Cone , Address Lovington, N.M.  
Drilling commenced June 11, 1942 Drilling was completed July 6, 1942  
Name of drilling contractor , Address  
Elevation above sea level at top of casing 3734 feet.  
The information given is to be kept confidential until Nov 19

## OIL SANDS OR ZONES

No. 1, from None to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 25' to 70' feet.  
No. 2, from 320' to 345' feet.  
No. 3, from to feet.  
No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet  
Cable tools were used from 0 feet to T. D. feet, and from feet to feet

## PRODUCTION

Put to producing, 19  
The production of the first 24 hours was None barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in.

## EMPLOYEES

, Driller, Driller  
, Driller, Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Hobbs, New Mexico July 8, 1942  
Place Date  
Subscribed and sworn to before me this 8 day of July, 1942  
Name Gordon M. Cone  
Position Owner  
Representing GORDON M. CONE  
Company or Operator  
My Commission expires November 20, 1943  
Address Lovington, New Mexico

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	25	25	Caliche
25	70	45	Sand, show water
70	105	35	White sand
105	140	35	Sand
140	150	10	Shale
150	170	20	Sand
170	180	10	Sand
180	185	5	Gravel
185	320	135	Red Bed
320	345	25	Red Rock, Sandy
345	355	10	Water Sand
355	740	385	Red Rock
740	755	15	Water Sand
755	785	30	Sand
785	810	15	Red Bed