



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Marrie A. Ant-well

Low State "B"

(Company or Operator)

(Lease)

Well No. 3, in SE 1/4 of NE 1/4, of Sec. 33, T. 18E, R. 37E, NMPM.

Eunont

Pool, Lee

County.

Well is 2310 feet from North line and 990 feet from East line

of Section 33. If State Land the Oil and Gas Lease No. is E-7163

Drilling Commenced February 9, 1957 Drilling was Completed February 28, 1957

Name of Drilling Contractor Jennings Drilling Company

Address P. O. Box 877, Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3703'

The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from 3945 to 3964 No. 4, from to
No. 2, from 3966 to 3975 No. 5, from to
No. 3, from 3985 to 3990 No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

None

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	32	used	311'	TF Guide		3945-54	Surface
5-1/2"	15.5	used	4036'	HO CO Float		3946-75	Production
						3985-90	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	8-5/8"	311'	150	Pump	9.6	60 cu. gal.
7-7/8"	5-1/2"	4036'	250	Pump	10.3	65 cu. mud, 32 starch

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Producing zone of this well was fraced w/ 10,000 gallons oil and 10,000 sand.

Well produced 91 BC in 24 hrs. 12/64" choke. TP 250psi, CP 150 psi, UG 395/1

4000'

Depth Cleaned Out.

B O R D OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4040 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing March 8th, 1937

OIL WELL: The production during the first 24 hours was 91 barrels of liquid of which 100 % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 38°

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy. 1610	T. Devonian	T. Ojo Alamo
T. Salt. 1705	T. Silurian	T. Kirtland-Fruitland
B. Salt. 2715	T. Montoya	T. Farmington
T. Yates. 3880	T. Simpson	T. Pictured Cliffs
T. 7 Rivers. 3896	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1610	1610	Red shale				
1600	1705	105	Anhydrite & shale				
1705	2715	1010	Salt & Anhydrite				
2715	4040	1325	Anhydrite, shale, salt, & sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. March 13, 1937

MORRIS R. ANT-FIL

P. O. Box 1055, Hobbs, New Mexico (Date)

Company or Operator

Address Agent

Name

Position or Title