			***			28	(Pum O-20
		+	τ.	NEW MEXIC	CO OIL CONSI	ERVATION COM	MISSION
	┝╍┟╌┟┈	+			Santa Fe, 1	New Mexico	$\int_{-\infty}^{\infty} \int_{-\infty}^{+\infty}$
				~	WELL F	ECORD ²	<u>RÊZENTRY</u>
			Mail to I	District Office, Oil	Conservation Co	mmission, to which l	form C-101 was sent n in Rules and Regulatio
				mission. Submit i			Land submit 6 Copies
AR Locate	REA 640 ACRES WELL CORRI	OCTLY	סססיט משס			Keohana)
	104	MINERY OF ODEF	ator)			(1,4630)	
ell No	L	, in <u>NE</u> :			, T	<u>теа</u> Теа	38E, NMPI
	0 WIIUC	<u>4</u> .0	East	Pool,	1650	fast from	South
							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
rilling Comm	enced	May	22,	1960 Drilli	ing was Completed	June	16 , 19 60
ame of Drilli	ing Contracto	Cac	tus Drlg.	Company	*********		
ddress		Hob	bs, New M	lexico		aa 1 agaa 1 a ya ya waxa gagaa a a agaa a a a a a	
evation above	e sea level at '	Top of Tubin	g Head	3664	The in	formation given is to	be kept confidential un
can be	releas	ed now	, 19			-	·
				OIL SANDS OR	ZONES	NONE	
-							
o. 2, from		te)	No.	5, from	to	
o. 3, from		t)	No.	6, from		
o. 1, from	5303 5354		to	ich water rose in b 5309 5430		feet. 10 BSW	/Hr, /Hr.
0. 4, 11011				***************************************			
						a	
		NWW		CASING BEC		5	
SIZE	WEIGHT PER FOO	r USE	D AMOU	KIND OF	ORD CUT AND PULLED FROM		PURPOSE
size 8-5/8" 4-1/2"	Unkr	r USE	в амот 334	kind of Shoe		PERFORATIONS None 5303 -5430	
8-5/8"	Unkr	r USE 10VII	в амот 334	kind of Shoe	CUT AND PULLED FROM None	None	PUBPOSE
8-5/8"	Unkr	r USE 10VII	в амот <u>334</u> Iew 553	kind of Shoe	ORD CUT AND PULLED FROM None 4676	None	PUBPOSE
8-5/8"	Unkr	r USE 10VII	в амот <u>334</u> Iew 553	NT KIND OF SHOE	ORD CUT AND PULLED FROM None 4676 TING RECOBD	None	PUBPOSE
8-5/8" 4-1/2" size of Hole	PER FOOT	r USE 10 m 11.6# N	р амол 334 Iew 553 мирри	NT KIND OF SHOE 6 Guide NG AND CEMEN	ORD CUT AND PULLED FROM NONE 4676 TING BECOBD D	None 5303 -5430	PUBPOSE Surface Oil String
8-5/8" 4-1/2" size of Hole	PER FOOT Unkm 9.5# &	r USE 10WM 211.6# N 	D AMOUN 334 Iew 553 MUDDR NO. SACKS OF CEMENT	NT KIND OF SHOE 6 Guide NG AND CEMEN USED	ORD CUT AND PULLED FROM NONE 4676 TING BECOBD D	None 5303 - 5430	PUBPOSE Surface Oil String
8-5/8" 4-1/2" size of Hole	PER FOOT Unkm 9.5# &	r USE 10WM 211.6# N 	D AMOUN 334 Iew 553 MUDDR NO. SACKS OF CEMENT	NT KIND OF SHOE 6 Guide NG AND CEMEN USED	ORD CUT AND PULLED FROM NONE 4676 TING BECOBD D	None 5303 - 5430	PUBPOSE Surface Oil String
8-5/8" 4-1/2" size of Hole 7-7/8	PER FOOT	vertice of the second s	D AMOUN 334 Iew 553 MUDDH NO. SACKS OF CEMENT 125 BECOBD C the Process used	NT KIND OF SHOE 6 Guide NG AND CEMEN WETHO USED HOWCO P HOWCO P	CUT AND PULLED FROM NONE 4676 TING BECOBD D Ump 107 N AND STIMULA Gals. used, interval	None 5303 -5430 mup gravity /gal. TION treated or shot.)	PURPOSE Surface Oil String AMOUNT OF MUD USED
8-5/8" 4-1/2" size of Hole 7-7/8	PER FOOT Unkm 9.5# & SIZE OF CABING 42 11	verse ve	D AMOUN 334 IEW 553 MUDDA MUDDA NO. SACKS OF CEMENT 125 RECORD C the Process used om 5296 t	NT KIND OF SHOE 6 Guide NG AND CEMEN WETHO USED HOWCO P HOWCO P DF PEODUCTION , No. of Qu. or G 0 6400. F	CUT AND PULLED FROM NONE 4676 TING RECOBD D Ump 107 AND STIMULA Gab. used, interval Pipe set @	None 5303 -5430 mun gravity f/gal. TION treated or shot.) 5536 and te	PUBPOSE Surface Oil String
8-5/8" 4-1/2" size of Hole 7-7/8	PER FOOT Unkm 9.5# & SIZE OF CABING 42 11	verse ve	D AMOUN 334 IEW 553 MUDDA MUDDA NO. SACKS OF CEMENT 125 RECORD C the Process used om 5296 t	NT KIND OF SHOE 6 Guide NG AND CEMEN WETHO USED HOWCO P HOWCO P	CUT AND PULLED FROM NONE 4676 TING RECOBD D Ump 107 AND STIMULA Gab. used, interval Pipe set @	None 5303 -5430 mun gravity f/gal. TION treated or shot.) 5536 and te	PURPOSE Surface Oil String AMOUNT OF MUD USED
8-5/8" 4-1/2" size of Hole 7-7/8 This w	PER FOOT Unkm 9.5# & SIZE OF CABING 42 11	verse ve	D AMOUN 334 IEW 553 MUDDA MUDDA NO. SACKS OF CEMENT 125 RECORD C the Process used om 5296 t	NT KIND OF SHOE 6 Guide NG AND CEMEN WETHO USED HOWCO P HOWCO P DF PEODUCTION , No. of Qu. or G 0 6400. F	CUT AND PULLED FROM NONE 4676 TING RECOBD D Ump 107 AND STIMULA Gab. used, interval Pipe set @	None 5303 -5430 mun gravity f/gal. TION treated or shot.) 5536 and te	PURPOSE Surface Oil String AMOUNT OF MUD USED

а

•••••••

RECORD OF DBILL-STEM AND SPECIAL TESPS

If drill-stem or other special tests of	r deviation surveys were	made, submit report of	separate shee	t and attach hereto	
	TOOLS	USED			
Rotary tools were used from 5296	eet to 6400	feet, and from		feet to	feet.
Cable tools were used from.	eet to	feet, and from		.feet to	feet.
	PBODU	NONE			
Put to Producing		NOR			
OIL WELL: The production during the first 2	4 hours was	barrels	of liquid of v	which	% was
was oil;% v	was emulsion;	% water; a	nd	% was sedi	ment. A.P.I.
Gravity			· • •	,	
GAS WELL: The production during the first 2	4 hours was	M.C.F. plus			barrels of
liquid Hydrocarbon. Shut in Pres	surclbs.				
Length of Time Shut in					
PLEASE INDICATE BELOW FORMAT					
Southeastern N		URMANCE WITH G		AL SECTION OF thwestern New Me	
r Anhy 2046 (+1620)	T. Devonian	a .		amo	
S. Salt.	T. Silurian			d-Fruitland	
B. Salt	T. Montoya	·····		gton	
T. Yates. 3318 (+348)	T. Simpson		T. Pictured	l Cliffs	
T. 7 Rivers	T. McKee	•••••••••••••••••••••••••••••••••••••••		A	
T. Queen	T. Ellenburger		T. Point L	ookout	
Grayburg	T. Gr. Wash				
San Andres 4960 (-1294)					
T. Glorieta 6350 (-2684)	Т		T. Morriso	n	

ſ.	Glorieta 6350 (-2684)	Τ.	 Т.	Morrison
	Drinkard			
Έ.	Tubbs	Т.	 Т.	
Т.	Abo	Т.	 T.	
Т.	Penn	Т.	 Т.	
T.	Miss.	Т.	 Т.	~

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
5296	6400		Dolomite, chert				
T.D.	6400		See Log for detail.				
			and a state of the				
) <u> </u>	- G			

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Address 610 Midland Natl. Bank Bldg., Midland, Texas

Company or Operator. J. M. HUBER CORPORATION Name Robert W. Scarth

Position Title District Superintendent