

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WEEL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not Mail to District Omce, On Conservation Community, and Regulations later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission Submit in OUINTUPLICATE. If State Land submit 6 Copies

.....Depth Cleaned Out.....

AREA 640 ACRES Bishop Canyon Uranium Corporation Forrest Well No. 1 , in NW 1/2 of NE 1/4, of Sec. 11 , T. 18S , R. 38E , NMPM. Eishop Canyon usens Pool, Lag County. Well is 660 feet from N line and 1980 feet from E line Name of Drilling Contractor Moran Drilling Co. Inc. Address Hobbs, New Mexico 6-18 157 OIL SANDS OR ZONES IMPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from 90 to 150 feet. No. 4, from to feet. CASING RECORD WEIGHT PER FOOT NEW OR KIND OF CUT AND PULLED FROM SIZE AMOUNT PERFORATIONS PURPOSE 8 5/8 24# bell New 3191 None None Surface MUDDING AND CEMENTING RECORD NO. SACKS AMOUNT OF MUD USED RECORD OF PRODUCTION AND STIMULATION (Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

ORD OF DRILL-STEM AND SPECIAL TEX

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary too	ols were us	sed from	fee	5137	feet, and	from		feet to	feet.
				t to					
				PRODU	OTION				
ut to Pro	oducing		•••••	19					
OIL WEI	LL: The	production	during the first 24	hours was		barr	els of liqu	id of which	% wa
	was	oil;	% wa	s emulsion;	9	% water;	; and	% wa	as sediment. A.P.I
GAS WEI		•		hours was	М	.C.F. plu	18		barrels o
JAG WE				ırclbs.		` •			
I angth o	-	·							
				ON TOPS (IN CON	FORMANC	E WITH	I GEOGR	APHICAL SECTIO	N OF STATE):
PLE			Southeastern Ne					Northwestern N	
Γ. Anhy	20	14	•	T. Devonian				Ojo Alamo	
Γ. Salt	nhy 2125			T. Silurian				Kirtland-Fruitland	
B. Salt	Salt			T. Montoya				Farmington Pictured Cliffs	
1. Yates	Yates31.38			1. Simpson				Menefee	
Γ. 7 Riv Γ. Quee	7 Rivers4103		•••••	T. Ellenburger				Point Lookout	
Γ. Gray	£770 _			=				. Mancos	
I'. San	San Andres			T. Granite				Dakota	
			•••••	Т				Morrison	
	kard			Т			т.	Penn	
				TT.			T		
T. Tubl		••••••		T					
T. Tubl				T			т.		
T. Tubl T. Abo. T. Penn	ı			T			T.		
T. Tubl T. Abo. T. Penr	ı			T		RD	T. T. T.		
T. Tubl T. Abo. T. Penr	ı			T		RD	T.		
T. Tubl T. Abo. T. Penn T. Miss	1	Thickness	Form	T T FORMATIO	N RECO	RD	T. T. T.		
T. Tubl T. Abo. T. Penn T. Miss From	То	Thickness in Feet	Form	TT. FORMATIO	N RECO	RD	T. T. T.		
T. Tubl T. Abo. T. Penr T. Miss From 0	To 320	Thickness in Feet	Form	TT. FORMATIO	N RECO	RD	T. T. T.		
T. Tubl T. Abo. T. Penn T. Miss From 0 320	To 320 2015	Thickness in Feet 320 1695	Caliche, s	T	N RECO	RD	T. T. T.		
T. Tubl T. Abo. T. Penr T. Miss From 0 320 2015	To 320 2015 2125	Thickness in Feet 320 1695 110	Caliche, s Red bed & Anhydrite Salt & Anh	T T. FORMATIO mation and & red be Anhydrite ydrite sand, red	N RECO	RD	T. T. T.		
T. Tuble T. Abo. T. Penn T. Miss From 0 320 2015 125 190	To 320 2015 2125 3190	Thickness in Feet 320 1695 110 1065	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite,	T T. FORMATIO mation and & red be Anhydrite ydrite sand, red	N RECO	RD	T. T. T.		
T. Tuble T. Abo. T. Penr T. Miss From 0 2015 2125 2125 2190 2100	To 320 2015 2125 3190 4100	Thickness in Feet 320 1695 110 1065 910	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite, beds and s	T	N RECO	RD	T. T. T.		
T. Tuble T. Abo. T. Penn T. Miss From 0 320 2015 2125 2190 2100 2140	To 320 2015 2125 3190 4100	Thickness in Feet 320 1695 110 1065 910 40	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite, beds and s Sand	T T FORMATION and & red be defined by the series of th	N RECO	RD	T. T. T.		
T. Tubl T. Abo. T. Penn T. Miss	To 320 2015 2125 3190 4100 4140 4770	Thickness in Feet 320 1695 110 1065 910 40 630	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite, beds and s Sand Lime and a	T T FORMATION and & red be defined by the series of th	N RECO	RD	T. T. T.		
T. Tuble T. Abo. T. Penri T. Miss From 0 320 2015 2125 3190 4140 4770	To 320 2015 2125 3190 4100 4140 4770 4850	Thickness in Feet 320 1695 110 1065 910 40 630 80	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite, beds and s Sand Lime and a	T T FORMATION and & red be defined by the series of th	N RECO	RD	T. T. T.		
T. Tuble T. Abo. T. Penr T. Miss From 0 320 2015 2125 2125 2120 2140 2770	To 320 2015 2125 3190 4100 4140 4770 4850 5137	Thickness in Feet 320 1695 110 1065 910 40 630 80 287	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite, beds and s Sand Lime and a	T T FORMATION and & red be defined by the series of th	N RECO	RD	T. T. T.		
T. Tuble T. Abo. T. Penr T. Miss From 0 320 2015 2125 3190 3140 3770	To 320 2015 2125 3190 4100 4140 4770 4850 5137	Thickness in Feet 320 1695 110 1065 910 40 630 80 287	Caliche, s Red bed & Anhydrite Salt & Anh Anhydrite, beds and s Sand Lime and a	T T FORMATION and & red be defined by the series of th	N RECO	RD	T. T. T.		

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.
June 18, 1957 (Date)
Company or Operator, Dishop Canyon Uranium Corp. Address Box 2016, Hobbs, New Mexico
Company or Operator Dishop Canyon Uranium Corp. Address Box 2016, Hobbs, New Mexico Name Position or Title Sec-Treas