#### EW MEXICO STATE LAND OFFI

Santa Fe, New Mexico

# DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr E.H.Wells	Hobbs N. Mex., March 17 19.52
Dear Sir: You are hereby	notified that it is our intention to commence the drilling of a well to be Well No. 1 in SW2 of Sw2 Sec. 18
	, N. M, P, M, Hobbs Oil Field
Les	
N.	The well isfeet $\binom{(N, \cdot)}{(XX)}$ of South line andfeet $(E, )$ of west line
	of line of line of (Give location from section or other legal subdivision lines. Cross out wrong directions.)
	If state land the oil and gas lease is No.
	Assignment No.
	If patented land the owner is. <b>Boon Hardin</b>
AREA 610 ACRES	Address Bobbs, N.M.
LOCATE WELL CORRECTLY The lessee is <b>Amerada Pet.</b>	Corp. Address Bobbs, N.M.
	floor above sea level is <b></b>
No. <b>Rotary</b> Mak	e of Drill

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
15 <sup>1</sup> 7"	70 <del>1</del> Weld	Second Hand	210*	Comented
10 5/4"	45 <del>1</del> Seabless	Second Hand	5500*	Comented
8 5/8"	\$2 <del>1</del> "	Second Hand	4000*	Comented

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about. 4100\* .....feet. Additional information:

Vuar 19 1932 Approved ..... Except as follows:

State Geologist or Oil and Gas Inspector.

Sincerely yours,

AMERADA PET. CORP.

Company or Operator.

nn

4

By ( Position Superintendent Send communication regarding well to

J.A.Starkey Name

Hobbs Address ...

FORM SG 101 



#### NEW MEXICO STATE LAND OFFICE OFFICE OF THE STATE GEOLOGIST

SANTA FE, NEW MEXICO

### MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

Santa Fe, N Following is	a report on the work done	and the	results obta	ained under t din	he heading not	ted above at th in th
	17					
Ar. E. H. Wells	State G	eologist,		PLACE		DATE
			Hobbs,	N.M.	March 29	9,1932
REPORT ON RE OF WELL	ESULT OF ABANDONMENT					
REPORT ON RI WATER SHU	ESULT OF TEST OF		REPOR	ON REPAIR	NG WELL	
REPORT ON RE	SULT OF SHOOTING WELL	-	REPOR ALTE	ON PULLIN	G OR OTHERW	ISE
OPERATION			<del>، بر میں بر میں بر میں م</del> اہ			1

The dates of this work were as follows: March 24,1932

#### DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Spudding was started with a machine on March 24,1932.

Subscribed and sworn to before me this day of March, 1932. Mary France Best NOTARY PUBLIC. My commission expires June 0 - 34	I hereby swear or affirm that the information given above is true and correct. Name Position <b>Field Formuta</b> Representing <b>Amerada Pet. Corp.</b> Address <b>Hobbs, N.M.</b>
Remarks:	T. Jauch State O. W. A. de

Form S.G. 103

#### NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

## DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Hobbe	N. Mex.,	Marsh 29,1	952, 19
Mr. <b>B. H. Wells</b>			
State Geologist, Santa Fe, New Mexico.		<sup>-</sup>	
Dear Sir: You are hereby notified that we intend to tes	st the shut-off of w	rater in <b>Boone</b>	Hardin
Well No. 1 in St of Stof Sec. 18	, T	, <b>18</b> , R.	, <b>58</b> ,
N. M. P. M.,	Oil FieldI	<b>88</b>	County,
on April 4, 19 52	lb. casing wa	s [cemented] in	Red Beds
formation at a depth of <b>222</b> *	feet on	oh 27,	19 <b>52</b>
250 sacks of Common & Speci	<b>A1</b>	cement were	e used.
The method used in placing the cement was a <b>Billiburton</b>	s follows:		
Fluid level will be bailed to a depth of	fee	t and left undistu	rbed for at least
Adjacent property owners have been notified	as follows: Impire	Gas & Fuel Co	<b>.</b>
Shell Pet. Corp., Gypsy 0il Co.			
Additional information:			

25 sacks of cement was placed on outside of casing at surface

Mean 3/ 1932-Sincerely yours, Approved .....

Except as follows:

Company or Operator. Position Field Foreman

.....

Send communication regarding well to

Name J.A.Starkey

Address Hobbs, N.M.

State Geologist or Oil and Gas Ing



### NEW MEXICO STATE LAND OFFICE OFFICE OF THE STATE GEOLOGIST SANTA FE, NEW MEXICO

## MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

T3 17 14-11 -		Hobbs, N.M. April 8, 1932
REPORT ON RESULT OF ABANDONMENT OF WELL		
REPORT ON RESULT OF TEST OF WATER SHUTOFF	X	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL

Mr.E. H. Wells State Geologist,

Santa Fe, N. Mex.

Following is a	report on the work do	one and the re	sults obtain	ned under th	he heading	noted above at the
Amerada Pet.	Corp.	Boone	Hardin		Well No	<b>1</b> in the
SWA of SWA	COMPANY OR OPERATOR	18	18	LEASE	38	
The dates of this work were as follows: April 4,1932						

Notice of intention to do the work was (was not) submitted on Form SG. 105 on March 29 , 192, and approval of the proposed plan was **wegenet** obtained. (Cross out incorrect words.)

### DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Hole was bailed dry and allowed to stand. No water came in hole.

Subscribed and sworn to before me this day of, 1932. Mary Frence Sert NOTARY PUBLIC. My commission expires June 10 - 34	I hereby swear or affirm that the information given above is true and correct. Name Field Formen Representing Amerada Pet, Corp. COMPANY OF OPERATOR. Address Hobbs, N.N.
Remarks:	T. Q. Slandy

STATE OIL & GAS INSPECTOR

# DEPARTMENT OF THE STATE GEOLOGIST

## STATE LAND OFFICE SANTA FE, NEW MEXICO MISCELLANEOUS REPORTS ON WELLS

Reports should be made within ten days of completing the work indicated and should be submitted in duplicate.

Indicate nature of report by checking.

Notice of intention to drill	Subsequent record of shooting
Notice of intention to change plans	Notice of intention to pull or otherwise alter casing
Notice of date for test of water shut-off	Notice of intention to abandon well
Report on result of test of water shut-off	
Notice of intention to re-drill or repair well	Supplementary well history
Notice of intention to shoot	Monthly report of operations

Mr. E. H. Vells	Apr.14,1932	Hobbs	N. Mex.
State Geologis	st		
Santa Fe, Ne	w Mexico.		
Following is a report giving the re	sults of work done as ind	icated above at	Boone Hardin
Well No. 1 in SW1 of SW	of Sec. 18	T. 18	

N.M.P.M., Hobbs Oil Field Les. County.

DEIAILS	D	Ε	Т	А	$\mathbf{I}$	L	S
---------	---	---	---	---	--------------	---	---

State names of and expected depths to objective sands or producing horizon; show sizes, weights, and lengths of casing run or proposed; indicating mudding jobs, cementing points, water horizon, number of days operated, and total depth at end of month, and other important information.

### 10 3/4" casing will be semented at approximately 2800" instead of 5500" as

reported on form SG 101 of March 17,1952.

Approved Office 16 16 31	Company Amerada Pet. Corp.
(Date)	By F.a. Staikey
(Name)	Title <b>Pield Foreman</b>
Title T. A. STANCLIFF STATE OIL & CAS INSPECTOR	\ddress Hobbe, K.M.
Address P. O. ECK 456	
HODDA, HEW MEXICO	

#### NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

# DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

	Hobbs	N. 1	Mex.,	April 19	9	., 19	32
Mr. E. H. Vells							
State Geologist, Santa Fe, New Mexico.				-			
Dear Sir: You are hereby notified that we intend	to test the	shut-off	of water	in Booi	ne Hardin	1	
Well No. 1 in SW4 of SW6f Sec.							
N. M. P. M., nobbs	Oil	Field	Lea	de		Cou	ınty,
on April 24, 19 32 10	3/4" 45	lb. casing	g was	cemented )	in anhyo	lrite	<b>.</b>
formation at a depth of 2731. 2731. 375 sacks of El Toro	fee Oil Vell Common	t on Ar	oril 19	cement	were used	19 <b>32</b> I.	· ·
The method used in placing the cement							
Halliburton							
Fluid level will be bailed to a depth of 12 hours before your inspection.	Dry		. feet a	nd left un	disturbed	for at 1	least
Adjacent property owners have been no	tified as fol	lows :		•••••••		·····	
Additional information:							
Approved CAPAil 70 t	0.32 S	incerelv v	01179				
Approved <u>Ciffiel 20</u> t Except as follows:		Amera	ida Pet	. Corp.			
Except as follows.	(	40	XI		Company or	Operato	r.
	By	T.C.	Ma	ary			
		ition Fie					
				regarding	well to		
		me Abov					
1 & Vaerele		dress	Hobbs,	₨₱──₽ ▃▙╋╾╺╇			
State <del>Geologist or</del> Oil and Gas Insp	éctor.		·····				••••••



### NEW MEXICO STATE LAND OFFICE OFFICE OF THE STATE GEOLOGIST SANTA FE, NEW MEXICO

### MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING OPERATIONS	G DRILLING		REPORT ON D	DEEPENIN	G WELL		
REPORT ON RESULT OF	SHOOTING WELL		REPORT ON ALTERING	PULLING	OR OTHER	RWISE	
REPORT ON RESULT O WATER SHUT-OFF	F TEST OF	~	REPORT ON F	REPAIRING	G WELL		1
REPORT ON RESULT OF	ABANDONMENT						T
			Hobbs,	N711.	May	1,1952	
			PLACE		•	DATE	
Ir. R.H.Wells	State Geo	logist.					
Ir. <u>R.H.Wells</u> Santa Fe, N. Mex.	State Geo	logist,					
Santa Fe, N. Mex. Following is a report	on the work done a	nd the res					
Santa Fe, N. Mex. Following is a report Amereda Pet. Corp. SW 1- of SW2	on the work done as	nd the res Boons J	Herdin 18 LEAS	P S	Well No 58	1	in th
Santa Fe, N. Mex. Following is a report Amereda Pet. Corp. SW 1- of SW2	on the work done as	nd the res Boons J	Herdin 18 LEAS	P S	Well No 58	1	in th
Santa Fe, N. Mex. Following is a report Amereda Pet. Corp. SW 1/2 of SW1/2 Hobbs The dates of this wor	on the work done as or operator of Sec. <b>18</b> Oil Field, k were as follows:	nd the res Boone J , T. Lee April	iardin 18 <sup>Leas</sup> 2 24,1932	<sup>3</sup> , R.	Well No. 58 County.	1 , N. M	in tl
Following is a report Amereda Pet. Corp. SW 1 of SW COMPANY Hobbs The dates of this wor Notice of intention to	on the work done as or operator of Sec. <b>18</b> Oil Field, k were as follows:	nd the res Boone J , T. Lee April (was not)	iardin 18 24,1932 submitted on	• , R.	Well No. 58 County. 3 103	1 , N. M	. P. M

#### DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Hole Bailed dry and allowed to stand no water came in hole.

Subscribed, and sworn	
12 th day of /	lay , 1932.
	el Beal.
A A	NOTARY PUBLIC.
My commission expires	une 10-34.
/	

given above is true and correct. Name <b>Second Starke</b> A Starke	
Name Januar Por Compy - a Starbe	4
Position Field Foreman	
Representing Amerada Pet. Corp.	
Address Hobbs, N.N.	OR.

I hereby swear or affirm that the information

Remarks:

STANCLI

Form S.G. 103

#### NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

# DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

	Hobbs , N.M.	N.	Mex., May 2	7
Mr. B. H. Wells				
State Geologist, Santa Fe, Ne	ew Mexico.			
Dear Sir: You are hereby n	otified that we intend to	test the shut-off	of water in	Boone Hardin
Well No	in SH of SW of Sec.	16 ,	T. <b>18</b>	, R. <b>58</b>
N. M. P. M.,	Hobbs	Oil Field	Lea	County,
on <b>16.7 3</b> 2		<b>6" \$2</b> 1b. casin	ig was cement	at in <b>Line</b>
formation at a depth	of <b>5923</b> Common	feet on	lay 27	
2 <b>15</b>	sacks of 011 Well Speci	al	cem	ent were used.
The method used	in placing the cement was	s as follows:		
Halliburtor	2			
Fluid level will be 12 hours before your	e bailed to a depth of	Dry	feet and left	undisturbed for at least
Adjacent property	owners have been notifie	ed as follows:		
Additional inform	pation :			
Approved	lay 27 193	<b>3 L</b> Sincerely y	ours,	

Approved	
Except as follows:	AMERADA PET. CORP.
	Company or Operator. By Carper Position Field Foreman
	Send communication regarding well to
	Name J.A. Starkey
	Address Hobbs, N.M.
State Geologist or Oil and Gas Inspector.	•

### NEW MEXICO STATE LAND OFFICE OFFICE OF THE STATE GEOLOGIST

SANTA FE, NEW MEXICO

### MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

Following is a re Amerada et. Cor SW4 of SW4 Hobbs	eport on the work done <b>D</b> OMPANY OR OPERATOR of Sec. Oil Field s work were as follows:	Boone H	T. 18	₩ •• , R.	ell No <b>38</b>	1	in th
Following is a re Amerada et. Cor SW_ of SW <sup>1</sup>	Dependence of Sec. 18	Boone H	T. 18	₩ ••	ell No <b>38</b>	1	in th
Following is a re Amerada et. Cor	<b>p.</b> <u>n</u>	e and the Boone B	lardin	W	eading no ell No	oted above	at tl
Santa Fe, N. Me	ex.						
	State G	leologist,	PLACE			DATE	
			Hobbs, N.M.	•		• •	952
REPORT ON RESUL	LT OF ABANDONMENT						
REPORT ON RESUL	LT OF TEST OF	x	REPORT ON	REPAIRING V	VELL		
REPORT ON RESUL	T OF SHOOTING WELL	<u> </u>	REPORT ON ALTERING	PULLING OR CASING	OTHER	WISE	
			REPORT ON	DEEPENING	WELL		

#### DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

#### Hole bailed dry and allowed to stand 12 hrs. No water came in.

Subscribed and sworn to before me this
11 th day of frene, 1932.
Mary Frances Beal
My commission expires June 10-34

I hereby swear or affirm that the	information
given above is true and correct.	
given above is true and correct. Name	
Position Field Foreman	
Representing Amerada Pet. Corp.	
COMPAN	Y OR OPERATOR.
Address Hobbs, N.M.	

Remarks:

the state of the s

· . 

A second constraints and constraints and constraints and constraints.