

NEW MEXICO STATE LAND OFFICE


Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. W. H. Martin, State Geologist, Albuquerque N. Mex., June 30, 1932

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as Martin Well No. 4 in 19 of Sec. 19 T. 18, R. 33, N. M. P. M., Albuquerque Oil Field Albuquerque County



The well is 550 feet (N.) of 19 line and 550 feet (E.)

(W.) 19 line of 19 (Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____

Assignment No. _____

If patented land the owner is W. H. Martin

Address Albuquerque, New Mexico

The lessee is _____ Address _____

The elevation of the derrick floor above sea level is 5370 feet. We propose to drill well with No. Rotary

Make of Drill _____

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
<u>2 1/2</u>				
<u>15</u>	<u>30</u>	<u>Second Hand</u>	<u>250'</u>	<u>Cemented</u>
<u>9</u>	<u>24</u>	<u>New</u>	<u>2800'</u>	<u>"</u>
<u>7</u>	<u>16</u>	<u>"</u>	<u>3000'</u>	<u>"</u>

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4100 feet. Additional information:

Approved June 30, 1932
Except as follows:

State Geologist or Oil and Gas Inspector.

Sincerely yours,

W. H. Martin Company or Operator.

By W. H. Martin

Position Manager

Send communication regarding well to

Name W. H. Martin

Address Albuquerque, New Mexico

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	<input type="checkbox"/>
REPORT ON RESULT OF SHOOTING WELL	<input type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	<input type="checkbox"/>
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input type="checkbox"/>	REPORT ON REPAIRING WELL	<input type="checkbox"/>
REPORT ON RESULT OF ABANDONMENT OF WELL	<input type="checkbox"/>		<input type="checkbox"/>

Mr. L. P. Holls State Geologist,
Santa Fe, N. Mex.

Hobbs Las Alamos PLACE
DATE July 12 1932

Following is a report on the work done and the results obtained under the heading noted above at the

Empire Gas Fuel Co. Well No. 4 in the
COMPANY OR OPERATOR Hardin LEASE
N. M. of Sec. 10, T. 18 S, R. 58 E, N. M. P. M.,
Hobbs Oil Field, Lee County.

The dates of this work were as follows: July 4 to 11 ~~drilling up~~ July 18 ~~spudded~~

Notice of intention to do the work was (was not) submitted on Form SG on June 28, 19 32, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

15' hole spudded by rotary tools July 12 1932

Subscribed and sworn to before me this

23 day of July, 19 32

[Signature]
NOTARY PUBLIC.

My commission expires June 22-1934

I hereby swear or affirm that the information given above is true and correct.

Name Empire Gas Fuel Co.

Position Production

Representing [Signature]

Address [Signature] COMPANY OR OPERATOR.

Remarks:

T. A. Stancliff
NAME

T. A. STANCLIFF
STATE OIL & GAS INSPECTOR

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input type="checkbox"/>	REPORT ON DEEPENING WELL	<input type="checkbox"/>
REPORT ON RESULT OF SHOOTING WELL	<input type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	<input type="checkbox"/>
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input type="checkbox"/>	REPORT ON REPAIRING WELL	<input type="checkbox"/>
REPORT ON RESULT OF ABANDONMENT OF WELL	<input checked="" type="checkbox"/>		

Mr. H. C. Hobbs State Geologist,
Santa Fe, N. Mex.

PLACE Hobbs New Mexico DATE July 18, 1932

Following is a report on the work done and the results obtained under the heading noted above at the

Empire Gas and Oil Co. Well No. 4 in the
COMPANY OR OPERATOR LEASE
of Sec. 17, T. 18 S, R. 20 E, N. M. P. M.,
Hobbs Oil Field, 100 County.

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form SG 106 on July 14, 1932, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Cement plug and ten feet of new hole drilled and casing bailed dry.
Allowed to set 6 hours for test and no water came in.

Subscribed and sworn to before me this

23 day of July, 1932

A. A. Stancliff
NOTARY PUBLIC.

My commission expires June 22-1934

I hereby swear or affirm that the information given above is true and correct.

Name W. D. Badie

Position Sup't. Production

Representing Empire Gas and Oil Co.

Address Hobbs New Mexico

Remarks:

T. A. Stancliff
NAME T. A. STANCLIFF TITLE

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Abbs N. Mex., August 5, 1932

Mr. A. C. Ellis
State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Gardin
Well No. 1 in 10 of Sec. 10, T. 10, R. 10,
N. M. P. M., Abbs Oil Field, Abbs County,
on August 6, 1932. The casing was } landed
formation at a depth of 1770 feet on August 6, 1932 } cemented in anhydrite
600 sacks of 100 cement were used.

The method used in placing the cement was as follows: Halliburton

Fluid level will be bailed to a depth of 1770 feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: Halliburton Corp.
Gypsy Oil Co. of New Mexico Petroleum Corp.

Additional information:

The cement plug and ten feet of hole will be drilled and the hole bailed to 1770 feet.

Approved Aug 7 1932 Sincerely yours,

Except as follows:

By H. B. Basie
Position Asst. Sec.
Send communication regarding well to
Name H. B. Basie
Address Abbs, New Mexico

J. A. Stanley
State Geologist or Oil and Gas Inspector

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input type="checkbox"/>	REPORT ON DEEPENING WELL	<input type="checkbox"/>
REPORT ON RESULT OF SHOOTING WELL	<input type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	<input type="checkbox"/>
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	<input type="checkbox"/>
REPORT ON RESULT OF ABANDONMENT OF WELL	<input type="checkbox"/>		

Mr. W. C. Hobbs State Geologist,
Santa Fe, N. Mex.

Hobbs PLACE New Mexico DATE

August 10 1932

Following is a report on the work done and the results obtained under the heading noted above at the

Empire Gas Fuel Co. Marlin Well No. 4 in the

COMPANY OR OPERATOR

LEASE

Marlin of Sec. 10, T. 10, R. 34, N. M. P. M.,
Hobbs Oil Field, Marlin County.

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form SG 106 on

August 8, 1932, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Cement plug and ten feet of hole drilled and water bailed to 1770'. After setting a hour the bailer was run again and showed no water had come in.

Subscribed and sworn to before me this

26th day of August, 1932

A. C. Goodwin

NOTARY PUBLIC.

My commission expires June 22 1934

I hereby swear or affirm that the information given above is true and correct.

Name N. W. Babel

Position Superintendent Production

Representing Empire Gas Fuel Co.

Address Hobbs, New Mexico

COMPANY OR OPERATOR.

Remarks:

T. A. Stanley
NAME TITLE

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Mr. W. A. Stancley N. Mex., Aug 26, 1932

State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Well No. 4 in Sec. 10, T. 30, R. 30, N. M. P. M., 2000 Oil Field San County, on Aug 7 1932 lb. casing was

}	landed	{	in <u>Chaparrito</u>
	cemented		

 formation at a depth of 3045 feet on Aug 22 1932 200 sacks of 2000 cement were used.

The method used in placing the cement was as follows:

Balli-burton

Fluid level will be bailed to a depth of 100 feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: Balli-burton Corp.
Montana Petroleum Corp. 7500 11 St.

Additional information:

Cement plug and test to 6 of hole will be drilled and hole bailed 10 ft.

Approved Aug 26 1932 Sincerely yours,

Except as follows:

Oil and Gas Inspector
By A. D. Bode Company or Operator.
Position Superintendent
Send communication regarding well to
Name W. A. Stancley
Address 2000

W. A. Stancley
State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

..... N. Mex., 19.....
Mr.
State Geologist,
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in
Well No. 4 in of Sec. 33, 10, T. 10, R. 33,
N. M. P. M., Oil Field County,
on August 11, 1932 lb. casing was ^{landed} cemented in any site
formation at a depth of 1770 feet on August 6, 1932
500 sacks of 1600 cement were used.

The method used in placing the cement was as follows: ballston

Fluid level will be bailed to a depth of 1770 feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: Bell, Stephen, 1020,
Highway 12 N. E. corner, Lovelock, 1020.

Additional information:

The cement plug and ten foot of hole will be drilled and the hole
balled to 1770 feet.

Approved Aug 4 1932 Sincerely yours,

Except as follows:

By *DD* Company or Operator.
Position *Asst. Eng.*
Send communication regarding well to
Name *John*
Address *0108, 10, 100*

T. A. Stanley
State Geologist or Oil and Gas Inspector.

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Mr. Ellis State Geologist,
Santa Fe, N. Mex.

Hobbs, New Mexico August 20 1932
PLACE DATE

Following is a report on the work done and the results obtained under the heading noted above at the

Empire Gas Fuel Company Well No. 4 in the
COMPANY OR OPERATOR LEASE
of Sec. 19, T. 18 S, R. 28, N. M. P. M.,
Hobbs Oil Field, Lea County.

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form SG 103 on
August 22, 1932, and approval of the proposed plan was (was not) obtained. (Cross
out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

After drilling out cement plug and drilling fifteen feet ahead
the hole was bailed dry and let set 12 hours. No water came into
the hole during this time and the test was witnessed by State
Oil Gas Inspector, T. J. Stancliff

Subscribed and sworn to before me this

14th day of Oct, 1932

W. J. Stancliff
NOTARY PUBLIC.

My commission expires June 22-1934

I hereby swear or affirm that the information
given above is true and correct.

Name W. J. Stancliff

Position Superintendent Production

Representing Empire Gas Fuel Co.

Address Hobbs, New Mexico

Remarks:

W. J. Stancliff
NAME TITLE

