

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the State Geologist or proper Oil and Gas Inspector at least five days before the work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modifications considered advisable or the rejection by the State Geologist or Oil and Gas Inspector of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		Notice of Intention to Acid	
NOTICE OF INTENTION TO DEEPEN WELL		Treat.	

E.H. Wells

Mr. State Geologist,

Santa Fe, N. Mex.

Following is a notice of intention to do certain work as described below at the

Continental Oil Co.

W.D. Grimes

Company or Operator

T 18S

R 38E

N. M. P. M., Hobbs

Oil Field, Lea County.

DETAILS OF PROPOSED PLAN OF WORK

Grimes # 4 • T.D. 4225', 5-1/2" casing set at 3993'. Well Tested
51 bbls per hour Gas 1,250,000 cu. ft flowing open through 3" tubing
we propose to treat well with 3000 gallons of Acid to increase
Potential of well.

Approved except as follows:
19

W.D. Grimes

Title

Address

Send communications regarding well to
Name H.B. Hurley, Dist. Supt.
Address P.O. Box 66 Hobbs N.M.

Position

District Supt.

By

Company or Operator

Continental Oil Co.

DUPLICATE

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

100-1000

THE NATIONAL BUREAU OF STANDARDS

100-1000

100-1000

100-1000