Form S6109

NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO



DEPARTMENT OF THE STATE GEOLOGIST **NEW MEXICO SCHOOL OF MINES** SOCORRO, NEW MEXICO

REQUEST FOR PERMISSION TO CONNECT WITH PIPE LINE

This request should be made in triplicate. Permission of the Commissioner of Public Lands should be obtained before connecting.

> Tulsa, Okla, Feb. 8th 1933. 19

Mr. J. D. Hunter

State Gaslogists 011 & Gas Inspector

Spearner, N. Mex. Box 522 Carlsbad, N.Mex.

Dear Sir:

Р	ermission	is	requested	to	connect	•G)	rimes.	
Wells	No	2	1	in.	NW/4	of	Sec.	

T. 18 S, R. 38 E, N. M. P. M., Hobbs

County, with the pipe line of the Lea Field,

Shell Petroleum Corpn.

Name of Pipe Line Company

act 1930 All other requirements have been complied with,

Yours truly.

DUPLICATE

OMPANY **Owner** or Operator By

Position Chief Clerk

Address Box 521 Tulse, Okla.

Commissioner of Public Lands.

13 1933

Permission is hereby

granted to make pipe line

connections requested

above.

State Geologist

Jan Jone C. S. 11

TORM SG 101		
	NE MEXICO STATE LAND OF SANTA FE, NEW MEXICO	
DEI	ARTMENT OF THE STATE GEOLOGIST NEW MEXICO SCHOOL OF MINES SOCORRO, NEW MEXICO	
begins. If changes in the propose	CE OF INTENTION TO DRILL NEW WELL Geologist or to the proper Oil and Gas Inspector and approval obtained before drillir plan are considered advisable a copy of this notice showing such changes will be r notice in triplicate. One copy will be returned following approval.	ng 'e-
Mr. C. C. Steley Socorro, N. Mex. Dear Sir: you are hereby	otified that it is our intention to commence the drilling of a	
T. 13-6 , R. 38-1	Well No. 1 in Mile of a well to be known a well to be known a fin of Sec. 38 Oil Fie County.	
N.	The well is 2310f feet (S.) of North line and 530 fe	et
	of West line of Section 28	
	(Give location from section or other legal subdivision lines. Cross ou wrong directions.) If state land the oil and gas lease is No. N one	
	Assignment No If patented land the owner is A.D.Grizes Surface Rights	

AREA 640 ACRES Address Hobbe, N.M. LOCATE WELL CORRECTLY The lessee is Address '_ The elevation of the derrick floor above sea level is Ground 3643.2 feet. We propose to drill well with No. Botary Make of Drill We propose to use the following strings of casing and to land or cement them as indicated. Size of Casing Weight Per Foot Now on Second Hand

	Size of Ousing		Second Hand	Depth	Landed or Cemented
	121	50	liew	2001	Cemerat
	9 5/8	52	10	2 750	Can back to 121
03 11 11 1	71	24	Ŷŧ	5950	Cepent

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about _______ ADDreg 4150' feet.

Additional information: It is our intention to run bips to about 2750' and cement back to bottom of 122. This will protect salt section.

Approved _____

ことでない見ています

Except as follows:

State Geologist or Oil and Gas Inspector.

Sincerely yours,

The Prairie 011 and Gas Company Company or By General Superintendent Position Send communication regarding well to

Naple Mr. O. E. Randolph, Get 1 Supt.

Address Jox 368, Ranger.

Form S.G. 103 🕜

NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

·····	Hodds	N	. Mex., .	Septembe	r 12	то 30	
Mr. Robert Halley			,			., _ j	
State Geologist,	ico.			4 ⁻			
Dear Sir:							
You are hereby notified t	that we intend to	test the shut-of	f of wat	ter in	W. D.	Grimes	
Well No. 1 in W	of Sec	28	, T I	L6-8	., R	38 E	
N. M. P. M., Hobb á	l		Ľ	.		County	-
on September 17	19 .30	Seanl (241 1b. casi	ing was	cemented	in	Hard Anhydri	, L te
formation at a depth of	5942	feet on	Septe	mber 12		TO 30	
	Atlas Por	tland					•
The method used in placing	ig the cement was	as follows:		·			

Halliburton Oil Well Comenting Process:

Fluid level will be bailed to a depth of ______ feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows:

.....

Additional information:

Approved 9/19 30	Sincerely yours,
Except as follows:	THE PRAIRIE OIL & GAS COMPANY
	Company or Operator. By
	Position District Superintendent
1 - 1 *	Send communication regarding well to
Kellan	Name J. E. Toho
1XXX aller	Address Drawer "P"
State Geologist or Oil and Gas Inspector.	Wink, Texas,

FORM \$6109

NEW MEXICO STATE LAND OFFICE SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST

NEW MEXICO SCHOOL OF MINES SOCORRO, NEW MEXICO

REQUEST FOR PERMISSION TO CONNECT WITH PIPE LINE

This request should be made in triplicate. Permission of the Commissioner of Public Lands should be obtained before connecting.

				Banger, Texas,	K/WH/	Oct. 2 10 50
Mr. R.L.	Hal ley					
	eologist,					
So	corro, N. M	ex				
Dear Sir:						
Permis	sion is requ	ested to co	nnect	W.D. Grimes		
Wells No	1	in	XW 1/4	of Sec	. 28	
				, N. M. P. M		
				Coun		
	ic Pipe 14				•••	r-r or me

Name of Pipe Line Company

Logs of the above wells were filed with the State Geologist ______ 19_____ 19_____ All other requirements have been complied with.

Yours truly,

THE PRAIRIE OIL AND GAS COMPANY

Owner or Bv

Position General Superintendent

Address Banger, Texas,

Permission is hereby granted to make pipe line connections r e q u e s t e d above.

Commissioner of Public Lands.

Approved State Geologist

Date .