Form		
(Mare	зh	1942)

Budget Bureau No. 42–R358.1. Approval expires 11–30–49.

Land Office	Las	Cru	68,	N. H.
Lease No				
Unit				

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(SUBMIT IN TRIPLICATE)

B. A. Sovers "A" - Pederal

SUNDRY NOTICES AND REPORTS ON WELLS

	and the second	
NOTICE OF INTENTION TO DRILL	SUBSEQUENT RE	PORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT RE	PORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT RE	EPORT OF ALTERING CASING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT RE	EPORT OF ABANDONMENT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTAR	Y WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Hidland, Texas	November 19,	19.47
Well No. A=10 is locate	d 2310		ft. from $\begin{bmatrix} \mathbf{k} \\ \mathbf{W} \end{bmatrix}$ line of sec.	29
M1/2 of SW/2 of Sec. 29 (14 Sec. and Sec. No.)	18-6	36-2. 7		
(14 Sec. and Sec. No.)	(Twp.)	(Range) (A	Meridian)	
Hobbs	Lea		New dexico	
(Field)		(County or Subdivision)	(State or Territory)	

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Killed well, broke out tubing head, and pulled tubing. Set Baker bridge plug at 2500' Perf. 7" casing at 2000'. Ran Retrievable Betainer and set at 1932'. Squeezed 100 sacks cement through perf. in 7" casing at 2000'. Drilled out cement and formation took water under 1200% pressure. Set Retrievable Betainer at 1932'. Squeezed perforations with 100 sacks cement. Drilled out cement and bridge plug. Set Baker Production Packer at 3910'. Ran bl92.62' of 22" tubing and set at b201' with 9 joints of 2" tubing and 6' perforated nipple. Put on Xmas tree. Swabbed well 2 hours and well kicked off. Tested in pit one hour and flowed 35 barrels. Tested well 3 hours and flowed 35 bbls PLO per hour.

Note: Well was not deepened. No 52" casing was set and ange Bay Survey was not run.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Co.

Address Box 1600

gidland, Texas

Bylennauna	
Dy	

Title Distaion Superintendent

U. S. GOVERNMENT PRINTING OFFICE 16-8437-8